

ORDINANCE 18-05

AN ORDINANCE OF THE CITY OF MARCO ISLAND, FLORIDA, AMENDING THE CODE OF ORDINANCES BY AMENDING ARTICLE IV, “ADMINISTRATIVE CONSTRUCTION CODE” OF CHAPTER 6 “BUILDINGS AND BUILDING REGULATIONS”; DELETING AND REPLACING SECTION 6-111, ESTABLISHING THE CITY OF MARCO ISLAND ADMINISTRATIVE CONSTRUCTION CODE, WITH SAID ADMINISTRATIVE CONSTRUCTION CODE ACTING AS THE ADMINISTRATIVE CHAPTER (CHAPTER 1) OF THE FLORIDA BUILDING CODE, AS REFERENCED; AMENDING SECTION 108, FEES, OF THE ADMINISTRATIVE CONSTRUCTION CODE, ADOPTING CHAPTER 1 OF THE 6TH EDITION (2017) OF THE FLORIDA BUILDING CODE WITH AMENDMENTS; PROVIDING FOR INCORPORATION, REPEALER, CONFLICT AND SEVERABILITY; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, Article VIII of the State Constitution and Chapter 166, Florida Statutes provide that municipalities shall have the governmental, corporate, and proprietary powers to enable them to conduct municipal government, perform municipal functions, and render municipal services, and may exercise any power for municipal purposes, except when expressly prohibited by law; and

WHEREAS, Section 553.73(4)(a), Florida Statutes, authorizes Florida municipalities to make local amendments to its building codes, provided they are no less stringent than the minimum standards described in the Florida Building Code; and

WHEREAS, the City of Marco Island desires to provided for a single ordinance for the administration of the Florida Building Code 6th Edition (2017), enforced by the City of Marco Island.

NOW, THEREFOR, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF MARCO ISLAND:

Section 1. Recitals. The foregoing “WHEREAS” clauses are true and correct and reflective of the legislative intent underlying this Ordinance and are hereby ratified and made a specific part of this Ordinance.

Section 2. Chapter 6 of the City Code Amended. That Article IV “Administrative Construction Code, of Chapter 6 “Buildings and Building Regulations” of the City of Marco Island Code of Ordinances are hereby deleted and repealed in its entirety and replaced with the following language in order to reflect adoption of Chapter 1, Administration, of the Florida Building Code, 6th edition (2017) to read as follows:

Sec. 6-111. - Administration chapter of Florida Building Code adopted; amendments.

- a) Adoption. There is hereby adopted by reference, Chapter 1, Administration, of the Florida Building Code, 6th edition (2017), as the administrative provisions of the Florida Building Code, enforced by the City of Marco Island.
- b) Amendment. That Chapter 1, Administration of the Florida Building Code, 6th edition (2017), is adopted in this section and is hereby amended by local amendment to read as follows:

CHAPTER 1
ADMINISTRATION
SECTION 100
PURPOSE

100.1 Purpose. The purpose of this Ordinance is to establish and adopt a single ordinance uniformly addressing the non-technical and administrative requirements for the Florida Building Code, 6th Edition (2017), and any supplements, additions and or deletions, approved by the Department of Community Affairs, the Department of Business and Professional Regulation, the National Electric Code, 2014 edition, Florida Fire Prevention Code, current edition, and all other adopted technical codes and ordinances not superseded by the Florida Building Code.

100.1.1 Marco Island Administrative Construction Code shall constitute and be known and cited as the Marco Island Administrative Construction Code ("ACC") hereinafter referred to as the "ACC."

Chapter 1

Scope and Administration

PART 1—SCOPE AND APPLICATION

SECTION 101
GENERAL

101.1 Title. These regulations shall be known as the Florida Building Code, hereinafter referred to as “this code.”

101.2 Scope. The provisions of this code shall apply to the construction, alteration, relocation, enlargement, replacement, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every building or structure or any appurtenances connected or attached to such buildings or structures.

Exception:

1. Detached one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories above grade plane in height with a separate means of egress and their accessory structures not more than three stories above grade plane in height, shall comply with the Florida Building Code, Residential.
2. Code Requirements that address snow loads and earthquake protection are pervasive; they are left in place but shall not be utilized or enforced because Florida has no snow load or earthquake threat.

101.2.1 Appendices. Provisions in the appendices shall not apply unless specifically adopted.

a) Appendix F – Rodent-proofing is specifically adopted

101.2.2 Florida Building Code, Residential Construction standards or practices which are not covered by Florida Building Code, Residential volume shall be in accordance with the provisions of Florida Building Code, Building.

101.3 Intent. The purpose of this code is to establish the minimum requirements to safeguard the public health, safety and general welfare through structural strength, means of egress facilities, stability, sanitation, adequate light and ventilation, energy conservation, and safety to life and property from fire and other hazards attributed to the built environment and to provide safety to fire fighters and emergency responders during emergency operations.

101.3.1 Quality control. Quality control of materials and workmanship is not within the purview of this code except as it relates to the purposes stated herein.

101.3.2 Warranty and Liability. The permitting, plan review or inspection of any building, system or plan by this jurisdiction, under the requirements of this code, shall not be construed in any court as a warranty of the physical condition of such building, system or plan or their adequacy. This jurisdiction shall not be liable in tort for damages or hazardous or illegal condition or inadequacy in such building, system or plan, nor for any failure of any component of such, which may occur subsequent to such inspection or permitting. Further, no building Services Division employee shall be liable in tort for damages from such conditions, in accordance with Section 768.28(9)(a), Florida Statutes, as may be amended.

101.4 Referenced codes. The other codes listed in Sections 101.4.1 through 101.4.9 and referenced elsewhere in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference.

101.4.1 Gas. The provisions of the Florida Building Code, Fuel Gas shall apply to the installation of gas piping from the point of delivery, gas appliances and related accessories as covered in this code. These requirements apply to gas piping systems extending from the point of delivery to the inlet connections of appliances and the installation and operation of residential and commercial gas appliances and related accessories.

101.4.2 Mechanical. The provisions of the Florida Building Code, Mechanical shall apply to the installation, alterations, repairs and replacement of mechanical systems, including equipment, appliances, fixtures, fittings and/or appurtenances, including ventilating, heating, cooling, air-conditioning and refrigeration systems, incinerators and other energy-related systems.

101.4.3 Plumbing. The provisions of the Florida Building Code, Plumbing shall apply to the installation, alteration, repair and replacement of plumbing systems.

including equipment, appliances, fixtures, fittings and appurtenances, and where connected to a water or sewage system and all aspects of a medical gas system.

101.4.4 Property maintenance. The provisions of the International Property Maintenance Code are hereby adopted and incorporated herein and shall apply to existing structures and premises; equipment and facilities; light, ventilation, space heating, sanitation, life and fire safety hazards; responsibilities of owners, operators and occupants; and occupancy of existing premises and structures.

101.4.5 Fire prevention. The Florida Fire Prevention Code is hereby adopted and incorporated herein and shall apply to matters affecting or relating to structures, processes and premises from the hazard of fire and explosion arising from the storage, handling or use of structures, materials or devices; from conditions hazardous to life, property or public welfare in the occupancy of structures or premises; and from the construction, extension, repair, alteration or removal of fire suppression, automatic sprinkler systems and alarm systems or fire hazards in the structure or on the premises from occupancy or operation.

101.4.6 Energy. The provisions of the Florida Building Code, Energy Conservation are hereby adopted and incorporated herein and shall apply to all matters governing the design and construction of buildings for energy efficiency.

101.4.7 Existing buildings. The provisions of the Florida Existing Building Code are hereby adopted and incorporated herein and shall apply to matters governing the repair, alteration, change of occupancy, addition to and relocation of existing buildings.

101.4.8 Accessibility. The provisions of the Florida Building Code, Accessibility shall apply to matters related to accessibility.

101.4.9 Manufactured buildings. The provisions of Section 458, Florida Building Code, Building, and Rule 61-41 Florida Administrative Code are hereby adopted and incorporated herein and shall apply as additional administrative and special code requirements.

SECTION 102 **APPLICABILITY**

102.1 General. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable. Where, in any specific case, different sections of this code specify different materials, methods of construction or other requirements, the most restrictive shall govern.

102.1.1 The Florida Building Code does not apply to, and no code enforcement action shall be brought with respect to, zoning requirements, land use requirements and owner specifications or programmatic requirements which do not pertain to and govern the

design, construction, erection, alteration, modification, repair or demolition of public or private buildings, structures or facilities or to programmatic requirements that do not pertain to enforcement of the Florida Building Code. Additionally, the code compliance official may not administer or enforce the Florida Building Code, building to prevent the siting of any publicly owned facility, including, but not limited to, correctional facilities, juvenile justice facilities, or state universities, community colleges, or public education facilities, as provided by law.

102.2 Building. The provisions of the Florida Building Code shall apply to the construction, erection, alteration, modification, repair, equipment, use and occupancy, location, maintenance, removal and demolition of every public and private building, structure or facility or floating residential structure, or any appurtenances connected or attached to such buildings, structures or facilities. Additions, alterations, repairs and changes of use or occupancy group in all buildings and structures shall comply with the provisions provided in the Florida Building Code, Existing Building. The following buildings, structures and facilities, except for those located in a Special Flood Hazard Area are exempt from the Florida Building Code as provided by law, and any further exemptions shall be as determined by the legislature and provided by law:

- a) Building and structures specifically regulated and preempted by the federal government.
- b) Railroads and ancillary facilities associated with the railroad.
- c) Nonresidential farm buildings on farms.
- d) Temporary buildings or sheds used exclusively for construction purposes.
- e) Mobile or modular structures used as temporary offices, except that the provisions of Part II (Section 553.501-553.513, Florida Statutes) relating to accessibility by persons with disabilities shall apply to such mobile or modular structures. Permits shall be required for structural support and tie down, electric supply and all other such utility connections to such mobile or modular structures as required by this jurisdiction.
- f) Those structures or facilities of electric utilities, as defined in Section 366.02, Florida Statutes, which are directly involved in the generation, transmission, or distribution of electricity.
- g) Temporary sets, assemblies, or structures used in commercial motion picture or television production, or any sound-recording equipment used in such production, on or off the premises.
- h) Chickees constructed by the Miccosukee Tribe of Indians of Florida or the Seminole Tribe of Florida. As used in this paragraph, the term "chickee" means an open-sided wooden hut that has a thatched roof of palm or palmetto or other traditional materials, and that does not incorporate any electrical, plumbing, or other non-wood features.
- i) Family mausoleums not exceeding 250 square feet (23 m²) in area which are prefabricated and assembled on site or preassembled and delivered on site and have walls, roofs, and a floor constructed of granite, marble, or reinforced concrete.
- j) Temporary housing provided by the Department of Corrections to any prisoner in the state correctional system.
- k) A building or structure having less than 1,000 square feet (93 m²) which is constructed and owned by a natural person for hunting and which is repaired or reconstructed to the same dimension and condition as existed on January 1, 2011, if the building or structure:

1. Is not rented or leased or used as a principal residence;
2. Is not located within the 100-year floodplain according to the Federal Emergency Management Agency's current Flood Insurance Rate Map; and
3. Is not connected to an off-site electric power or water supply.

102.2.1 In addition to the requirements of Section 553.79 and 553.80, Florida Statutes, facilities subject to the provisions of Chapter 395, Florida Statutes, and Part II of Chapter 400, Florida Statutes, shall have facility plans reviewed and construction surveyed by the state agency authorized to do so under the requirements of Chapter 395, Florida Statutes, and Part II of Chapter 400, Florida Statutes, and the certification requirements of the federal government.

102.2.2 Residential buildings or structures moved into or within a county or municipality shall not be required to be brought into compliance with the state minimum building code in force at the time the building or structure is moved, provided:

1. The building or structure is structurally sound and in occupiable condition for its intended use;
2. The occupancy use classification for the building or structure is not changed as a result of the move;
3. The building is not substantially remodeled;
4. Current fire code requirements for ingress and egress are met;
5. Electrical, gas and plumbing systems meet the codes in force at the time of construction and are operational and safe for reconnection; and
6. Foundation plans are sealed by a professional engineer or architect licensed to practice in this state, if required by the Florida Building Code, Building for all residential buildings or structures of the same occupancy class.

102.2.3 The building official shall apply the same standard to a moved residential building or structure as that applied to the remodeling of any comparable residential building or structure to determine whether the moved structure is substantially remodeled. The cost of the foundation on which the moved building or structure is placed shall not be included in the cost of remodeling for purposes of determining whether a moved building or structure has been substantially remodeled.

102.2.4 This section does not apply to the jurisdiction and authority of the Department of Agriculture and Consumer Services to inspect amusement rides or the Department of Financial Services to inspect state-owned buildings and boilers.

102.2.5 Each enforcement district shall be governed by a board, the composition of which shall be determined by the affected localities.

1. At its own option, each enforcement district or local enforcement agency may adopt rules granting to the owner of a single-family residence one or more exemptions from the Florida Building Code relating to:

- a) Addition, alteration, or repairs performed by the property owner upon his or her own property, provided any addition or alteration shall not exceed 1,000 square feet (93 m²) or the square footage of the primary structure, whichever is less.
- b) Addition, alteration, or repairs by a non-owner within a specific cost limitation set by rule, provided the total cost shall not exceed \$5,000 within any 12-month period.
- c) Building and inspection fees.

2. However, the exemptions under subparagraph 1 do not apply to single-family residences that are located in mapped flood hazard areas, as defined in the code, unless the enforcement district or local enforcement agency has determined that the work, which is otherwise exempt, does not constitute a substantial improvement, including the repair of substantial damage, of such single-family residences.

3. Each code exemption, as defined in sub-subparagraphs 1a, 1b, and 1c shall be certified to the local board 10 days prior to implementation and shall only be effective in the territorial jurisdiction of the enforcement district or local enforcement agency implementing it.

102.2.6 This section does not apply to swings and other playground equipment accessory to a one- or two-family dwelling.

Exception: Electrical service to such playground equipment shall be in accordance with Chapter 27 of this code.

102.3 Application of references. References to chapter or section numbers, or to provisions not specifically identified by number, shall be construed to refer to such chapter, section or provision of this code.

102.4 Referenced codes and standards. The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference and as further regulated in Sections 102.4.1 and 102.4.2.

102.4.1 Conflicts. Where conflicts occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

102.4.2 Provisions in referenced codes and standards. Where the extent of the reference to a referenced code or standard includes subject matter that is within the scope of this code or the Florida Codes listed in Section 101.4, the provisions of this code or the Florida Codes listed in Section 101.4, as applicable, shall take precedence over the provisions in the referenced code or standard.

102.5 Partial invalidity. In the event that any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

102.6 Existing structures. The legal occupancy of any structure existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, the Florida Building Code, Existing Building, International Property Maintenance Code and the Florida Fire Prevention Code.

102.6.1 Buildings not previously occupied. A building or portion of a building that has not been previously occupied or used for its intended purpose in accordance with the laws in existence at the time of its completion shall comply with the provisions of the Florida Building Code or Florida Residential Code, as applicable, for new construction or with any current permit for such occupancy.

102.6.2 Buildings previously occupied. The legal occupancy of any building existing on the date of adoption of this code shall be permitted to continue without change, except as otherwise specifically provided in this code, the Florida Fire Prevention Code, International Property Maintenance Code or as is deemed necessary by the building official for the general safety and welfare of the occupants and the public.

102.7 Relocation of manufactured buildings.

1. Relocation of an existing manufactured building does not constitute an alteration.
2. A relocated building shall comply with wind speed requirements of the new location, using the appropriate wind speed map. If the existing building was manufactured in compliance with the Standard Building Code (prior to March 1, 2002), the wind speed map of the Standard Building Code shall be applicable. If the existing building was manufactured in compliance with the Florida Building Code (after March 1, 2002), the wind speed map of the Florida Building Code shall be applicable.
3. A relocated building shall comply with the flood hazard area requirements of the new location, if applicable.

102.8 Existing mechanical equipment. An agency or local government may not require that existing mechanical equipment located on or above the surface of a roof be installed in compliance with the requirements of the Florida Building Code except during reroofing when the equipment is being replaced or moved during reroofing and is not in compliance with the provisions of the Florida Building Code relating to roof-mounted mechanical units.

102.9 Words defined.

Appraised value. For the purpose of this section, appraised value is defined as either (1) one hundred and twenty (120) percent of the assessed value of the structure as indicated by the County Property Appraiser's Office or (2) the value as indicated in a certified appraisal from a certified appraiser.

Assessed value. The value of real property and improvements thereon as established by the County Property Appraiser.

Basic Wind Speed Line. The basic wind speed for the jurisdiction shall be as required by the windspeed maps in Section 1609 of the 2010-5th Edition (2014 Florida Building Code:
Risk Category I: 155 mph
Risk Category II (Single Family Home): 170 mph
Risk Category III-IV: 185 mph

Board. The appropriate City or County Board of Adjustment and Appeals, unless otherwise specifically stated.

Building Official. The term “building official” shall have that meaning as set forth in Section 6-32 of this Code of Ordinances.

Building shell. The structural components that completely enclose a building, including, but not limited to, the foundation, structural frame, floor slabs, exterior walls and roof system.

Building system. A functionally related group of elements, components and/or equipment, such as the electrical, plumbing and mechanical systems of a building.

Certificate of occupancy (C.O.). An official document evidencing that a building satisfies the requirements of the jurisdiction for the occupancy of a building.

Certificate of Completion (C. of C.). An official document evidencing that a building satisfies the requirements of the jurisdiction for the completion of a building, or component of a building or an accessory structure.

Code. The Florida Building Code, or the Code of Ordinances, as the context may require.

Commercial building. Any building, structure, improvement or accessory thereto, other than a one or two-family dwelling.

Demolition. The act of razing, dismantling or removal of a building or structure, or portion thereof.

Department or department. The Department of Building Safety.

Examination. An exam prepared, proctored and graded by a recognized testing agency unless otherwise implied in context or specifically stated otherwise.

Inspection warrant. A court order authorizing the official or his designee to perform an inspection of a particular property named in the warrant.

Intensification of use. An increase in capacity or number of units of a residential or commercial building.

NGVD - National Geodetic Vertical Datum of 1929 (NGVD 29). A system of measurement used by surveyors and engineers, the basis for relating ground and flood elevations. It has been replaced by the North American Vertical Datum of 1988 (NAVD 88).

NAVD - North American Vertical Datum of 1988 (NAVD 88). A revised system of measurement used by surveyors and engineers, the basis for relating ground and flood elevations. It is also based on satellite systems that account for differences in gravitational forces in different areas. Note: NGVD + 1.3 ft = NAVD

Permit card or placard. A document issued by the jurisdiction evidencing the issuance of a permit and recording of inspections.

PART 2—ADMINISTRATION AND ENFORCEMENT

SECTION 103 DIVISION OF BUILDING SERVICES

103.1 Appointment. The building official shall be appointed by the chief appointing authority of the jurisdiction.

103.2 Deputies. In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the building official shall have the authority to appoint a deputy building official, the related technical officers, inspectors, plan examiners and other employees. Such employees shall have powers as delegated by the building official.

SECTION 104 DUTIES AND POWERS OF BUILDING OFFICIAL

104.1 General. The building official is hereby authorized and directed to enforce the provisions of this code. The building official shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Such interpretations, policies and procedures shall be in compliance with the intent and purpose of this code. Such policies and procedures shall not have the effect of waiving requirements specifically provided for in this code.

104.2 Applications and permits. The building official shall receive applications, review construction documents and issue permits for the erection, and alteration, demolition and moving of buildings and structures, inspect the premises for which such permits have been issued and enforce compliance with the provisions of this code.

104.2.1 Determination of substantially improved or substantially damaged existing buildings and structures in flood hazard areas. For applications for reconstruction, rehabilitation, repair, alteration, addition or other improvement of existing buildings or structures located in flood hazard areas, the building official shall determine if the proposed work constitutes substantial improvement or repair of substantial damage. Where the building official determines that the proposed work constitutes substantial improvement or repair of substantial damage, and where required by this code, the building official shall require the building to meet the requirements of Section 1612.

104.3 Notices and orders. The building official shall issue all necessary notices or orders to ensure compliance with this code.

104.4 Inspections. The building official shall make all of the required inspections, or the building official shall have the authority to accept reports of inspection by approved agencies or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such approved agency or by the responsible individual. The building official is authorized to engage such expert opinion as deemed necessary to report upon unusual technical issues that arise, subject to the approval of the appointing authority.

104.5 Identification. The building official and all deputies, technical officers and inspectors shall carry proper identification when inspecting structures or premises in the performance of duties under this code.

104.6 Right of entry. Where it is necessary to make an inspection to enforce the provisions of this code, or where the building official has reasonable cause to believe that there exists in a structure or upon a premises a condition which is contrary to or in violation of this code which makes the structure or premises unsafe, dangerous or hazardous, the building official is authorized to enter the structure or premises at reasonable times to inspect or to perform the duties imposed by this code, provided that if such structure or premises be occupied that credentials be presented to the occupant and entry requested. If such structure or premises is unoccupied, the building official shall first make a reasonable effort to locate the owner or other person having charge or control of the structure or premises and request entry. If entry is refused, the building official shall have recourse to the remedies provided by law to secure entry.

104.7 Department records. The building official shall keep official records of applications received, permits and certificates issued, fees collected, reports of inspections, and notices and orders issued. Such records shall be retained in the official records for the period required for retention of public records in accordance with Chapter 119, Florida Statutes.

104.8 Liability. The building official, member of the board of appeals or employee charged with the enforcement of this code, while acting for the jurisdiction in good faith and without malice in the discharge of the duties required by this code or other pertinent law or ordinance, shall not thereby be civilly or criminally rendered liable personally and is hereby relieved from personal liability for any damage accruing to persons or property as a result of any act or by reason of an act or omission in the discharge of official duties. Any suit instituted against an officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be defended by legal representative of the City until the final termination of the proceedings. The building official or any subordinate shall not be liable for cost in any action, suit or proceeding that is instituted in pursuance of the provisions of this code.

104.8.1 Legal defense. Any suit or criminal complaint instituted against an officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be defended by legal representatives of the City until the final termination of the proceedings. The building official or any subordinate shall not be liable for cost in any action, suit or proceeding that is instituted in pursuance of the provisions of this code.

104.9 Approved materials and equipment. Materials, equipment and devices approved by the building official shall be constructed and installed in accordance with such

104.9.1 Used materials and equipment. The use of used materials which meet the requirements of this code for new materials is permitted. Used equipment and devices shall not be reused unless approved by the building official.

104.10 Modifications. Wherever there are practical difficulties involved in carrying out the provisions of this code, the building official shall have the authority to grant modifications for individual cases, upon application of the owner or owner's representative, provided the building official shall first find that special individual reason makes the strict letter of this code impractical and the modification is in compliance with the intent and purpose of this code and that such modification does not lessen health, accessibility, life and

fire safety, or structural requirements. The details of action granting modifications shall be recorded and entered in the files of the department.

104.10.1 Flood hazard areas. The building official shall coordinate with the floodplain administrator to review requests submitted to the building official that seek approval to modify the strict application of the flood resistant construction requirements of the Florida Building Code to determine whether such requests require the granting of a variance pursuant to Section 117.

104.11 Alternative materials, design and methods of construction and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been approved. An alternative material, design or method of construction shall be approved where the building official finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, not less than the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety. Where the alternative material, design or method of construction is not approved, the building official shall respond in writing, stating the reasons why the alternative was not approved.

104.11.1 Research reports. Supporting data, where necessary to assist in the approval of materials or assemblies not specifically provided for in this code, shall consist of valid research reports from approved sources.

104.11.2 Tests. Whenever there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the building official shall have the authority to require tests as evidence of compliance to be made at no expense to the City. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the building official shall approve the testing procedures. Tests shall be performed by an approved agency. Reports of such tests shall be retained by the building official for the period required for retention of public records.

104.12 Requirements not covered by code. Any requirements necessary for strength, stability or proper operation of an existing or proposed building, structure, electrical, gas, mechanical or plumbing system, or for the public safety, health and general welfare, not specifically covered by this or other technical codes, shall be determined by the building official.

SECTION 105 **PERMITS**

105.1 Required. Any owner or owner's authorized agent who intends to construct, enlarge, alter, repair, move, demolish, or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace any impact-resistant coverings, electrical, gas, mechanical or plumbing system, the installation of which is

regulated by this code, or to cause any such work to be done, shall first make application to the building official and obtain the required permit.

105.1.1 Annual facility permit. In lieu of an individual permit for each alteration to an existing electrical, gas, mechanical or plumbing or interior nonstructural office system(s), the building official is authorized to issue an annual permit for any occupancy to facilitate routine or emergency service, repair, refurbishing, minor renovations of service systems or manufacturing equipment installations/relocations. The building official shall be notified of major changes and shall retain the right to make inspections at the facility site as deemed necessary. An annual facility permit shall be assessed with an annual fee and shall be valid for one year from date of issuance. A separate permit shall be obtained for each facility and for each construction trade, as applicable. The permit application shall contain a general description of the parameters of work intended to be performed during the year.

105.1.2 Annual Facility permit records. The person to whom an annual permit is issued shall keep a detailed record of alterations made under such annual permit. The building official shall have access to such records at all times or such records shall be filed with the building official as designated.

105.1.3 Food permit. In accordance with Section 500.12, Florida Statutes, a food permit from the Department of Agriculture and Consumer Services is required of any person who operates a food establishment or retail store.

105.1.4 Public swimming pool. The department may not issue a building permit to construct, develop, or modify a public swimming pool without proof of application, whether complete or incomplete, for an operating permit pursuant to Section 514.031, Florida Statutes. A certificate of completion or occupancy may not be issued until such operating permit is issued. The department shall conduct its review of the building permit application upon filing and in accordance with Chapter 553, Florida Statutes. The department may confer with the Department of Health, if necessary, but may not delay the building permit application review while awaiting comment from the Department of Health.

105.2 Work exempt from permit. Exemptions from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of the City, to include work in any special flood hazard area. Exemptions granted under this section do not relieve the owner or contractor from their duty to comply with applicable provisions of the Florida Building Code, and requirements of the local floodplain management ordinance. Permits shall not be required for the following:

Electrical:

Repairs and maintenance: Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.

Temporary testing systems: A permit shall not be required for the installation of any temporary system required for the testing or servicing of electrical equipment or apparatus.

Gas:

1. Portable heating appliance.

2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

Mechanical:

1. Portable heating appliance.

2. Portable ventilation equipment.

3. Portable cooling unit.

4. Steam, hot or chilled water piping within any heating or cooling equipment regulated by this code.

5. Replacement of any part that does not alter its approval or make it unsafe.

6. Portable evaporative cooler.

7. Self-contained refrigeration system containing 10 pounds (5 kg) or less of refrigerant and actuated by motors of 1 horsepower (746 W) or less.

8. The installation, replacement, removal or metering of any load management control device.

Plumbing:

1. The stopping of leaks in drains, water, soil, waste or vent pipe, provided, however, that if any concealed trap, drain pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.

2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.

105.2.1 Emergency repairs. Where equipment replacements and repairs must be performed in an emergency, the permit application shall be submitted within the next working business day to the building official.

105.2.2. Minor repairs. Ordinary minor repairs may be made with the approval of the building official without a permit, provided the repairs shall not include the cutting away of any wall, partition or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required means of egress, or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include addition to, alteration of, replacement or relocation of any standpipe, water supply, sewer, drainage, drain leader, gas, soil, waste, vent or similar piping, electric wiring systems or mechanical equipment or other work affecting

public health or general safety, and such repairs shall not violate any of the provisions of the technical codes.

105.2.3 Public service agencies. A permit shall not be required for the installation, alteration or repair of generation, transmission, distribution or metering or other related equipment that is under the ownership and control of public service agencies by established right.

105.3 Application for permit. To obtain a permit, the applicant shall first file an application therefor in writing on a form furnished by the department for that purpose. Permit application forms shall be in the format prescribed by the department if applicable, and must comply with the requirements of Section 713.135(5) and (6), Florida Statutes. Each application shall be inscribed with the date of application, and the code in effect as of that date. For a building permit for which an application is submitted prior to the effective date of the Florida Building Code, the state minimum building code in effect in the permitting jurisdiction on the date of the application governs the permitted work for the life of the permit and any extension granted to the permit.

The department shall post each type of building permit application on the City website. Completed applications must be able to be submitted electronically to the appropriate building department. Accepted methods of electronic submission include, but are not limited to, e-mail submission of applications in portable document format or submission of applications through an electronic fill-in form available on the building department's website or through a third-party submission management software. Payments, attachments, or drawings required as part of the permit application may be submitted in person in a nonelectronic format, at the discretion of the building official.

105.3.1 Action on application. The building official shall examine or cause to be examined applications for permits and amendments thereto within a reasonable time after filing. If the application or the construction documents do not conform to the requirements of pertinent laws, the building official shall reject such application in writing, stating the reasons therefor. If the building official is satisfied that the proposed work conforms to the requirements of this code and laws and ordinances applicable thereto, the building official shall issue a permit therefor as soon as practicable. When authorized through contractual agreement with a school board, in acting on applications for permits, the building official shall give priority to any applications for the construction of, or addition or renovation to, any school or educational facility.

105.3.1.1 If a state university, Florida college or public school district elects to use the services of the department, fees charged by the department for enforcement of the Florida Building Code on buildings, structures, and facilities of state universities, state colleges, and public school districts shall not be more than the actual labor and administrative costs incurred for plans review and inspections to ensure compliance with the code.

105.3.1.2 No permit may be issued for any building construction, erection, alteration, modification, repair, or addition unless the applicant for such permit provides to the department any of the following documents which apply to the construction for which the permit is to be issued and which shall be prepared by or under the direction of an engineer registered under Chapter 471, Florida Statutes:

1. Plumbing documents for any new building or addition which requires a plumbing system with more than 250 fixture units or which costs more than \$125,000.

2. Fire sprinkler documents for any new building or addition which includes a fire sprinkler system which contains 50 or more sprinkler heads. Personnel as authorized by Chapter 633, Florida Statutes, may design a fire sprinkler system of 49 or fewer heads and may design the alteration of an existing fire sprinkler system if the alteration consists of the relocation, addition or deletion of not more than 49 heads, notwithstanding the size of the existing fire sprinkler system.

3. Heating, ventilation, and air-conditioning documents for any new building or addition which requires more than a 15-ton-per-system capacity which is designed to accommodate 100 or more persons or for which the system costs more than \$125,000. This paragraph does not include any document for the replacement or repair of an existing system in which the work does not require altering a structural part of the building or for work on a residential one, two, three or four-family structure.

An air-conditioning system may be designed by an installing air-conditioning contractor certified under Chapter 489, Florida Statutes, to serve any building or addition which is designed to accommodate fewer than 100 persons and requires an air-conditioning system with a value of \$125,000 or less; and when a 15-ton-per system or less is designed for a singular space of a building and each 15-ton system or less has an independent duct system. Systems not complying with the above require design documents that are to be sealed by a professional engineer.

4. Any specialized mechanical, electrical, or plumbing document for any new building or addition which includes a medical gas, oxygen, steam, vacuum, toxic air filtration, halon, or fire detection and alarm system which costs more than \$5,000.

5. Electrical documents. Any electrical or plumbing or air-conditioning and refrigeration system meeting the following thresholds are required to be designed by a Florida Registered Engineer: when the system requires an electrical system with a value of over \$125,000; and requires an aggregate service capacity of over 600 amperes (240 volts) on a residential electrical system or over 800 amperes (240 volts) on a commercial or industrial electrical system;

Documents requiring an engineer seal by this part shall not be valid unless a professional engineer who possesses a valid certificate of registration has signed, dated, and stamped such document as provided in Section 471.025, Florida Statutes.

6. All public swimming pools and public bathing places defined by and regulated under Chapter 514, Florida Statutes.

105.3.2 Time limitation of application. An application for a permit for any proposed work shall be deemed to have been abandoned, becoming null and void, 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the building official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension

must be requested in writing and justifiable cause demonstrated prior to the grant of an extension.

105.3.3 The department may not issue a building permit for any building construction, erection, alteration, modification, repair or addition unless the permit either includes on its face or there is attached to the permit the following statement: "NOTICE: In addition to the requirements of this permit, there may be additional restrictions applicable to this property that may be found in the public records of Collier County, and there may be additional permits required from other governmental entities such as water management districts, state agencies, or federal agencies."

105.3.4 A building permit for a single-family residential dwelling must be issued within 30 working days of application therefor unless unusual circumstances require a longer time for processing the application or unless the permit application fails to satisfy the Florida Building Code or the City's ordinances.

105.3.5 Identification of minimum premium policy. Except as otherwise provided in Chapter 440, Florida Statutes, Workers' Compensation, every employer shall, as a condition to receiving a building permit, show proof that it has secured compensation for its employees as provided in Sections 440.10 and 440.38, Florida Statutes.

105.3.6 Asbestos removal. Moving, removal or disposal of asbestos-containing materials on a residential building where the owner occupies the building, the building is not for sale or lease, and the work is performed according to the owner-builder limitations provided in this paragraph. To qualify for exemption under this paragraph, an owner must personally appear and sign the building permit application. The department shall provide the person with a disclosure statement in substantially the following form:

Disclosure Statement: State law requires asbestos abatement to be done by licensed contractors. You have applied for a permit under an exemption to that law. The exemption allows you, as the owner of your property, to act as your own asbestos abatement contractor even though you do not have a license. You must supervise the construction yourself. You may move, remove or dispose of asbestos-containing materials on a residential building where you occupy the building and the building is not for sale or lease, or the building is a farm outbuilding on your property. If you sell or lease such building within 1 year after the asbestos abatement is complete, the law will presume that you intended to sell or lease the property at the time the work was done, which is a violation of this exemption. You may not hire an unlicensed person as your contractor. Your work must be done according to all local, state and federal laws and regulations which apply to asbestos abatement projects. It is your responsibility to make sure that people employed by you have licenses required by state law and by county or municipal licensing ordinances.

105.3.7 Applicable Code for Manufactured Buildings. Manufacturers are permitted to complete all buildings designed and approved prior to the effective date of a new code edition, provided a clear signed contract is in place. The contract shall provide specific data mirroring that required by an application for permit, specifically, without limitation, date of execution, building owner or dealer, and anticipated date of completion. However, the construction activity must commence within 6 months of the contract's execution. The contract is subject to verification by the Department of Business and Professional Regulation.

105.3.8 Public right of way. A permit shall not be given by the building official for the construction of any building, or for the alteration of any building where said building is to be changed and such change will affect the exterior walls, bays, balconies, or other appendages or projections fronting on any street, alley or public lane, or for the placing on any lot or premises of any building or structure removed from another lot or premises, unless the applicant has received a right of way permit from the authority having jurisdiction over the street, alley or public lane.

105.3.9 Permit transfers.

A building permit issued to a licensed contractor by the Department may be transferred to the subject property owner as an owner-builder contractor to complete construction of a single-family residence. Prior to the actual transfer of the building permit from the licensed contractor to the owner-builder contractor either of the following must occur:

1. The licensed contractor shall execute and submit to the Department a sworn affidavit consenting to the full and complete release and transfer of the building permit from the contractor's control to the owner-builder contractor to complete construction of the single-family residence; or
2. In the event the licensed contractor will not execute the aforementioned affidavit of release and transfer, the owner-builder shall enter into an agreement with the City addressing the following to the satisfaction of the building official:
 - a) That the owner-builder has requested that the licensed contractor provide an affidavit of release and transfer, and that the licensed contractor has refused;
 - b) That the owner has requested that the City transfer the building permit from the licensed contractor to the owner-builder to complete the construction of a single-family residence;
 - c) That the owner-builder contractor will comply fully with the terms and conditions of Section 105.3.9 and will complete all applicable Building Department applications prior to permit release and transfer;
 - d) That the owner-builder is responsible for fully complying with all requirements of Chapter 173, Florida Statutes; and
 - e) That in consideration for the release and transfer of the building permit by the Department, the owner-builder agrees to indemnify and hold the City harmless from any and all liability, losses, penalties, damages, and professional fees, including attorney fees and all costs of litigation and judgments associated with the release and transfer of the building permit.

105.4 Conditions of the permit. The issuance or granting of a permit shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of this code or of any other ordinance of the jurisdiction. Permits presuming to give authority to violate or cancel the provisions of this code or other ordinances of the jurisdiction shall not be valid. The issuance of a permit based on construction documents and other data shall not prevent the building official from requiring the correction of errors in the construction documents and other data. The building official is also authorized to prevent occupancy or use of a structure where in violation of this code or of any other ordinances of this jurisdiction.

105.4.1 Permit intent. A permit issued shall be construed to be a license to proceed with the work and not as authority to violate, cancel, alter or set aside any of the provisions of the technical codes, nor shall issuance of a permit prevent the building official from thereafter requiring a correction of errors in plans, construction or violations of this code. Every permit issued shall become invalid unless the work authorized by such permit is commenced within six months after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of six months after the time the work is commenced.

105.4.1.1 If work has commenced and the permit is revoked, becomes null and void, or expires because of lack of progress or abandonment, a new permit covering the proposed construction shall be obtained before proceeding with the work.

105.4.1.2 If a new permit is not obtained within 180 days from the date the initial permit became null and void, the building official is authorized to require that any work which has been commenced or completed be removed from the building site. Alternately, a new permit may be issued on application, providing the work in place and required to complete the structure meets all applicable regulations in effect at the time the initial permit became null and void and any regulations which may have become effective between the date of expiration and the date of issuance of the new permit.

105.4.1.3 Work shall be considered to be in active progress when the permit has received an approved inspection within 180 days. This provision shall not be applicable in case of civil commotion or strike or when the building work is halted due directly to judicial injunction, order or similar process.

105.4.1.4 The fee for renewal reissuance and extension of a permit shall be set forth by the administrative authority.

105.5 Expiration. Every permit issued shall become invalid unless the work on the site authorized by such permit is commenced within 180 days after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced the permit holder and property owner shall be responsible to either complete all work in accordance with the permitted plans and inspection or remove any partially completed work in a safe and code compliant manner. The building official is authorized to grant, in writing, one or more extensions of time, for periods not more than 180 days each. The extension shall be requested in writing and justifiable cause demonstrated as determined by the building official.

105.5.1 Closing out or resolving open or expired permits shall be the responsibility of the permit applicant and the property owner. Failure to close out or resolve open permits may be reported to the proper authority by the building official.

105.6 Denial or revocation. Whenever a permit required under this section is denied or revoked because the plan, or the construction, erection, alteration, modification, repair, or demolition of a building, is found by the local enforcing agency to be not in compliance with the Florida Building Code, the department shall identify the specific plan or project features that do not comply with the applicable codes, identify the specific code chapters and sections upon which the finding is based, and provide this information to the permit

applicant. If the building code administrator or inspector finds that the plans are not in compliance with the Florida Building Code, the building code administrator or inspector shall identify the specific plan features that do not comply with the applicable codes, identify the specific code chapters and sections upon which the finding is based, and provide this information to the local enforcing agency. The department shall provide this information to the permit applicant.

105.7 Placement of permit. The building permit or copy shall be kept on the site of the work until the completion of the project.

105.8 Notice of commencement. In accordance with Section 713.135, Florida Statutes, when any person applies for a building permit, the department shall print on the face of each permit card in no less than 14-point, capitalized, boldfaced type: “WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.”

105.9 Asbestos. The department shall require each building permit for the demolition or renovation of an existing structure to contain an asbestos notification statement which indicates the owner’s or operator’s responsibility to comply with the provisions of Section 469.003, Florida Statutes, and to notify the Department of Environmental Protection of his or her intentions to remove asbestos, when applicable, in accordance with state and federal law.

105.10 Certificate of protective treatment for prevention of termites. A weather-resistant job-site posting board shall be provided to receive duplicate treatment certificates as each required protective treatment is completed, providing a copy for the person the permit is issued to and another copy for the building permit files. The treatment certificate shall provide the product used, identity of the applicator, time and date of the treatment, site location, area treated, chemical used, percent concentration and number of gallons used, to establish a verifiable record of protective treatment. If the soil chemical barrier method for termite prevention is used, final exterior treatment shall be completed prior to final building approval.

105.11 Notice of termite protection. A permanent sign which identifies the termite treatment provider and need for reinspection and treatment contract renewal shall be provided. The sign shall be posted near the water heater or electric panel.

105.12 Work starting before permit issuance. Upon approval of the building official, the scope of work delineated in the building permit application and plan may be started prior to the final approval and issuance of the permit, provided any work completed is entirely at risk of the permit applicant and the work does not proceed past the first required inspection.

105.13 Phased permit approval. After submittal of the appropriate construction documents, the building official is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for the whole building or structure have been submitted. The holder of such permit for the

foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted. Corrections may be required to meet the requirements of the technical codes.

105.14 Permit issued on basis of an affidavit. Whenever a permit is issued in reliance upon an affidavit or whenever the work to be covered by a permit involves installation under conditions which, in the opinion of the building official, are hazardous or complex, the building official shall require that the architect or engineer who signed the affidavit or prepared the drawings or computations shall supervise such work. In addition, they shall be responsible for conformity to the permit, provide copies of inspection reports as inspections are performed, and upon completion make and file with the building official written affidavit that the work has been done in conformity to the reviewed plans and with the structural provisions of the technical codes. In the event such architect or engineer is not available, the owner shall employ in his stead a competent person or agency whose qualifications are reviewed by the building official. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part III of Chapter 468, Florida Statutes.

Exception: Permit issued on basis of an affidavit shall not extend to the flood load and flood resistance requirements of the Florida Building Code.

105.15 Opening protection. When any activity requiring a building permit that is applied for on or after July 1, 2008, and for which the estimated cost is \$50,000 or more for a site built single-family detached residential structure that is located in the wind borne debris region as defined in this Code and that has an insured value of \$750,000 or more, or, if the site built single-family detached residential structure is uninsured or for which documentation of insured value is not presented, has a just valuation for the structure for purposes of ad valorem taxation of \$750,000 or more; opening protections as required within this Code or Florida Building Code, Residential for new construction shall be provided.

Exception: Single family residential structures permitted subject to the Florida Building Code are not required to comply with this section.

105.16 Inspection of existing residential building not impacted by construction.

a) The Code compliance official, the building official and any building code administrator, inspector, or other official or entity, may not require as a condition of issuance of a one- or two-family residential building permit the inspection of any portion of a building, structure, or real property that is not directly impacted by the construction, erection, alteration, modification, repair, or demolition of the building, structure, or real property for which the permit is sought.

b) This subsection does not apply to a building permit sought for:

1. A substantial improvement as defined in Section 161.54, Florida Statutes or as defined in the Florida Building Code.
2. A change of occupancy as defined in the Florida Building Code.
3. A conversion from residential to nonresidential or mixed use pursuant to Section 553.507(2)(a), Florida Statutes or as defined in the Florida Building Code.
4. A historic building as defined in the Florida Building Code.

c) This subsection does not prohibit a Code compliance official, the building official, or any building code administrator, inspector, or other official or entity, from:

1. Citing any violation inadvertently observed in plain view during the ordinary course of an inspection conducted in accordance with the prohibition in paragraph (a).

2. Inspecting a physically nonadjacent portion of a building, structure, or real property that is directly impacted by the construction, erection, alteration, modification, repair, or demolition of the building, structure, or real property for which the permit is sought in accordance with the prohibition in paragraph (a).

3. Inspecting any portion of a building, structure, or real property for which the owner or other person having control of the building, structure, or real property has voluntarily consented to the inspection of that portion of the building, structure, or real property in accordance with the prohibition in paragraph (a).

4. Inspecting any portion of a building, structure, or real property pursuant to an inspection warrant issued in accordance with Sections 933.20-933.30, Florida Statutes.

105.17 Streamlined low-voltage alarm system installation permitting.

a) As used in this section, the term:

1. "Contractor" means a person who is qualified to engage in the business of electrical or alarm system contracting pursuant to a certificate or registration issued by the department under part II of chapter 489, Florida Statutes.

2. "Low-voltage alarm system project" means a project related to the installation, maintenance, inspection, replacement, or service of a new or existing alarm system, as defined in Section 489.505, Florida Statutes, that is hardwired and operating at low voltage, as defined in the National Electrical Code Standard 70, and ancillary components or equipment attached to such a system, including, but not limited to, home-automation equipment, thermostats, and video cameras.

3. "Wireless alarm system" means a burglar alarm system or smoke detector that is not hardwired.

b) Notwithstanding any provision of this Code, this section applies to all low-voltage alarm system projects for which a permit is required by a local enforcement agency. However, a permit is not required to install, maintain, inspect, replace, or service a wireless alarm system, including any ancillary components or equipment attached to the system.

c) This section does not apply to the installation or replacement of a fire alarm if a plan review is required.

d) The department shall make uniform basic permit labels available for purchase by a contractor to be used for the installation or replacement of a new or existing alarm system at a cost as indicated in Section 553.793, Florida Statutes. The department may not require the payment of any additional fees, charges, or expenses associated with the installation or replacement of a new or existing alarm.

1. The department may not require a contractor, as a condition of purchasing a label, to submit information other than identification information of the licensee and proof of registration or certification as a contractor.

2. A label is valid for 1 year after the date of purchase and may only be used within the jurisdiction of department. A contractor may purchase labels in bulk for one or more unspecified current or future projects.

e) A contractor shall post an unused uniform basic permit label in a conspicuous place on the premises of the low-voltage alarm system project site before commencing work on the project.

f) A contractor is not required to notify the department before commencing work on a low-voltage alarm system project. However, a contractor must submit a Uniform Notice of a Low-Voltage Alarm System Project as provided under subsection (7) to the department within 14 days after completing the project. The department may take disciplinary action against a contractor who fails to timely submit a Uniform Notice of a Low-Voltage Alarm System Project.

g) The Uniform Notice of a Low-Voltage Alarm System Project may be submitted electronically or by facsimile if all submissions are signed by the owner, tenant, contractor, or authorized representative of such persons. The Uniform Notice of a Low-Voltage Alarm System Project shall be in the format prescribed by the department and must comply with the requirements of Section 553.793(7), Florida Statutes.

h) The department may coordinate directly with the owner or customer to inspect a low-voltage alarm system project may be inspected by the department to ensure compliance with applicable codes and standards. If a low-voltage alarm system project fails an inspection, the contractor must take corrective action as necessary to pass inspection.

i) The City may not adopt or maintain in effect any ordinance or rule regarding a low-voltage alarm system project that is inconsistent with this section.

j) A uniform basic permit label shall not be required for the subsequent maintenance, inspection, or service of an alarm system that was permitted in accordance with this section.

The provisions of this ordinance are not intended to impose new or additional licensure requirements on persons licensed in accordance with the applicable provisions of chapter 489, Florida Statutes.

105.18 Waste materials management. Inert waste materials may be buried on-site provided that such disposal is in conformance with federal, state, and local laws and regulations. Inert waste materials as used herein are specifically limited to brick, block, concrete, rock, stone, earth and sand that is free from contamination and of other types of waste, and that is capable of serving as fill material without environmental harm to, or pollution of, ground waters or surface waters. All other wastes, including garbage, hazardous waste, rubbish, refuse, paper products, containers, cloth, wood and wood products, sweepings, liquids other than water, sludge, tree limbs and trunks, undergrowth, and material produced by clearing and grubbing, and other horticultural wastes, shall not be buried on-site but shall be otherwise lawfully disposed of.

105.19 Dust control. Adequate dust control measures shall be employed by the permittee to prevent complaints arising from unhealthy, unsafe, or damaging conditions. Failure to utilize adequate dust control procedures shall be sufficient cause to order cessation of the work causing such dust and to decline inspection requests.

105.20 Noise control. Construction activities are permitted in accordance with the City of Marco Island Noise Control Ordinance.

105.21 Tenant improvements. The general contractor of record for the building shell permit will be allowed to apply for a permit for tenant improvements before the shell has been given a Certificate of Occupancy. Only the general contractor of the building shell will be able to obtain a permit for a tenant improvement prior to the shell being given a Certificate of Occupancy. Each tenant space (i.e., unit, suite, etc.) that is not finished under the original building contract will require its own permit for improvements. Revisions to the original scope of work will not be considered for complete tenant improvements after the original permit is issued. No tenant spaces will receive a Certificate of Occupancy until after the shell has been given a Certificate of Completion. Exceptions will be considered and reviewed by the building official, or his/her designee. Final decision will be made based upon life, health and safety issues. The shell permit will be referenced on the tenant improvement permit.

SECTION 106 **FLOOR AND ROOF DESIGN LOADS**

106.1 Live loads posted. Where the live loads for which each floor or portion thereof of a commercial or industrial building is or has been designed to exceed 50 psf (2.40 kN/m²), such design live loads shall be conspicuously posted by the owner or the owner's authorized agent in that part of each story in which they apply, using durable signs. It shall be unlawful to remove or deface such notices

106.2 Issuance of certificate of occupancy. A certificate of occupancy required by Section 111 shall not be issued until the floor load signs, required by Section 106.1, have been installed.

106.3 Restrictions on loading. It shall be unlawful to place, or cause or permit to be placed, on any floor or roof of a building, structure or portion thereof, a load greater than is permitted by this code.

SECTION 107 **SUBMITTAL DOCUMENTS**

107.1 General. Submittal documents consisting of construction documents, statement of special inspections, geotechnical report and other data shall be submitted in two or more sets with each permit application. The construction documents shall be prepared by a registered design professional where required by Chapter 471, Florida Statutes & 61G15 Florida Administrative Code or Chapter 481, Florida Statutes & 61G1 Florida Administrative Code. Where special conditions exist, the building official is authorized to require additional construction documents to be prepared by a registered design professional.

Exception: The building official is authorized to waive the submission of construction documents and other data not required to be prepared by a registered design professional

if it is found that the nature of the work applied for is such that review of construction documents is not necessary to obtain compliance with this code.

107.2 Construction documents. Construction documents shall be in accordance with Sections 107.2.1 through 107.2.6 hereof.

107.2.1 Information on construction documents. Construction documents shall be dimensioned and drawn upon suitable material. Electronic media documents are permitted to be submitted when approved by the building official. Construction documents shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ordinances, rules and regulations, as determined by the building official. Such drawings and specifications shall contain information, in the form of notes or otherwise, as to the quality of materials, where quality is essential to conformity with the technical codes. Such information shall be specific, and the technical codes shall not be cited as a whole or in part, nor shall the term "legal" or its equivalent be used as a substitute for specific information. All information, drawings, specifications and accompanying data shall bear the name and signature of the person responsible for the design.

107.2.2 Fire protection system shop drawings. Shop drawings for the fire protection system(s) shall be submitted to indicate conformance to this code and the construction documents and shall be approved prior to the start of system installation. Shop drawings shall contain all information as required by the referenced installation standards in Chapter 9.

107.2.3 Means of egress. The construction documents shall show in sufficient detail the location, construction, size and character of all portions of the means of egress including the path of the exit discharge to the public way in compliance with the provisions of this code. In other than occupancies in Groups R-2, R-3, and I-1, the construction documents shall designate the number of occupants to be accommodated on every floor, and in all rooms and spaces.

107.2.4 Exterior wall envelope. Construction documents for all buildings shall describe the exterior wall envelope in sufficient detail to determine compliance with this code. The construction documents shall provide details of the exterior wall envelope as required, including flashing, intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves or parapets, means of drainage, water-resistive membrane and details around openings.

The construction documents shall include manufacturer's installation instructions that provide supporting documentation that the proposed penetration and opening details described in the construction documents maintain the weather resistance of the exterior wall envelope. The supporting documentation shall fully describe the exterior wall system which was tested, where applicable, as well as the test procedure used.

107.2.5 Site plan. The construction documents submitted with the application for permit shall be accompanied by a site plan showing to scale the size and location of new construction and existing structures on the site, distances from lot lines, the established street grades and the proposed finished grades and, as applicable, flood hazard areas, floodways, and design flood elevations; and it shall be drawn in accordance with an accurate boundary line survey. In the case of demolition, the site plan shall show construction to be demolished and the location and size of existing structures and construction that are to remain on the site or plot. The building official is authorized to waive or modify the requirement for a site plan when the application for permit is for alteration or repair or when otherwise warranted.

107.2.5.1 Design flood elevations. Where design flood elevations are not specified, they shall be established in accordance with Section 1612.3.1.

107.2.5.2 For the purpose of inspection and record retention, site plans for a building may be maintained in the form of an electronic copy at the worksite. These plans must be open to inspection by the building official or a duly authorized representative, as required by the Florida Building Code.

107.2.6 Structural information. The construction documents shall provide the information specified in Section 1603.

107.3 Examination of documents. The building official shall examine or cause to be examined the accompanying submittal documents and shall ascertain by such examinations whether the construction indicated and described is in accordance with the requirements of this code and other pertinent laws or ordinances.

Exceptions:

1. Building plans approved pursuant to Section 553.77(5), Florida Statutes, and state-approved manufactured buildings are exempt from local codes enforcing agency plan reviews except for provisions of the code relating to erection, assembly or construction at the site. Erection, assembly and construction at the site are subject to local permitting and inspections. Photocopies of plans approved according to FAC 61-41.009, Florida Administrative Code, shall be sufficient for local permit application documents of record for the modular building portion of the permitted project.

2. Industrial construction on sites where design, construction and fire safety are supervised by appropriately licensed design and inspection professionals and which contain adequate in-house fire departments and rescue squads is exempt, subject to approval by the building official, from review of plans and inspections, providing the appropriate licensed design and inspection professionals certify that applicable codes and standards have been met and supply appropriate approved drawings to local building and fire-safety inspectors.

107.3.1 Approval of construction documents. When the building official issues a permit, the construction document shall be approved, in writing or by stamp, as "Reviewed for Code Compliance." One set of construction documents so reviewed shall be retained by the building official. The other set shall be returned to the applicant.

shall be kept at the site of work and shall be open to inspection by the building official or a duly authorized representative.

107.3.2 Previous approvals. This code shall not require changes in the construction documents, construction or designated occupancy of a structure for which a lawful permit has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

107.3.3 Phased approval. The building official is authorized to issue a permit for the construction of foundations or any other part of a building or structure before the construction documents for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such permit for the foundation or other parts of a building or structure shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted.

107.3.4 Design professional in responsible charge. Where it is required that documents be prepared by a registered design professional, the building official shall be authorized to require the owner or the owner's authorized agent to engage and designate on the building permit application a registered design professional who shall act as the registered design professional in responsible charge. If the circumstances require, the owner or the owner's authorized agent shall designate a substitute registered design professional in responsible charge who shall perform the duties required of the original registered design professional in responsible charge. The building official shall be notified in writing by the owner or the owner's authorized agent if the registered design professional in responsible charge is changed or is unable to continue to perform the duties.

The registered design professional in responsible charge shall be responsible for reviewing and coordinating submittal documents prepared by others, including phased and deferred submittal items, for compatibility with the design of the building.

107.3.4.1 Deferred submittals. For the purposes of this section, deferred submittals are defined as those portions of the design that are not submitted at the time of the application and that are to be submitted to the building official.

Deferral of any submittal items shall have the prior approval of the building official. The registered design professional in responsible charge shall list the deferred submittals on the construction documents for review by the building official.

Documents for deferred submittal items shall be submitted to the registered design professional in responsible charge who shall review them and forward them to the building official with a notation indicating that the deferred submittal documents have been reviewed and found to be in general conformance to the design of the

building. The deferred submittal items shall not be installed until the deferred submittal documents have been approved by the building official.

107.3.4.2 Certifications by contractors authorized under the provisions of Section 489.115(4)(b), Florida Statutes, shall be considered equivalent to sealed plans and specifications by a person licensed under Chapter 471, Florida Statutes, or Chapter 481 Florida Statutes, by local enforcement agencies for plans review for permitting purposes relating to compliance with the wind-resistance provisions of the code or alternate methodologies approved by the Florida Building Commission for one- and two-family dwellings. The department may rely upon such certification by contractors that the plans and specifications submitted conform to the requirements of the code for wind resistance. Upon good cause shown, local government code enforcement agencies may accept or reject plans sealed by persons licensed under Chapters 471, 481 or 489, Florida Statutes.

107.3.5 Minimum plan review criteria for buildings. The examination of the documents by the building official shall include the following minimum criteria and documents: a floor plan; site plan; foundation plan; floor/roof framing plan or truss layout; all fenestration penetrations; flashing; and rough opening dimensions; and all exterior elevations:

Commercial Buildings:

Building

1. Site requirements:

Parking

Fire access

Vehicle loading

Driving/turning radius

Fire hydrant/water supply/post indicator valve (PIV)

Set back/separation (assumed property lines)

Location of specific tanks, water lines and sewer lines

Flood hazard areas, flood zones, and design flood elevations

2. Occupancy group and special occupancy requirements shall be determined (with cross check with the energy code submittal).

3. Minimum type of construction shall be determined (see Table 503).

4. Fire-resistant construction requirements shall include the following components:

Fire-resistant separations

Fire-resistant protection for type of construction

Protection of openings and penetrations of rated walls

Fire blocking and draft stopping and calculated fire resistance

5. Fire suppression systems shall include:

Early warning smoke evacuation systems Schematic fire sprinklers

Standpipes
Pre-engineered systems
Riser diagram
Same as above.

6. Life safety systems shall be determined and shall include the following requirements:
 - Occupant load and egress capacities
 - Early warning
 - Smoke control
 - Stair pressurization
 - Systems schematic

7. Occupancy load/egress requirements shall include:
 - Occupancy load
 - Gross
 - Net
 - Means of egress
 - Exit access
 - Exit
 - Exit discharge
 - Stairs construction/geometry and protection
 - Doors
 - Emergency lighting and exit signs
 - Specific occupancy requirements
 - Construction requirements
 - Horizontal exits/exit passageways

8. Structural requirements shall include:
 - Soil conditions/analysis
 - Termite protection
 - Design loads
 - Wind requirements
 - Building envelope
 - Impact resistant coverings or systems
 - Structural calculations (if required)
 - Foundation
 - Flood requirements in accordance with Section 1612, including lowest floor elevations, enclosures, flood damage-resistant materials
 - Wall systems
 - Floor systems
 - Roof systems
 - Threshold inspection plan
 - Stair systems

9. Materials shall be reviewed and shall at a minimum include the following:

Wood
Steel
Aluminum
Concrete
Plastic
Glass
Masonry
Gypsum board and plaster
Insulating (mechanical)
Roofing
Insulation
Building envelope portions of the Energy Code (including calculation and mandatory requirements)

10. Accessibility requirements shall include the following:
 - Site requirements
 - Accessible route
 - Vertical accessibility
 - Toilet and bathing facilities
 - Drinking fountains
 - Equipment
 - Special occupancy requirements
 - Fair housing requirements

11. Interior requirements shall include the following:
 - Interior finishes (flame spread/smoke development) Light and ventilation (including corresponding portion of the energy code)
 - Sanitation

12. Special systems:
 - Elevators
 - Escalators
 - Lifts

13. Swimming pools:
 - Barrier requirements
 - Spas
 - Wading pools

14. Location and installation details. The specific location and installation details of each fire door, fire damper, ceiling damper and smoke damper shall be shown and properly identified on the building plans by the designer.

Electrical

1. Electrical:
 - Wiring

Services

Feeders and branch circuits

Overcurrent protection

Grounding

Wiring methods and materials

GFCIs

Arc-fault protection

Electrical portions of the Energy Code (including calculation and mandatory requirements)

2. Equipment
3. Special occupancies
4. Emergency systems
5. Communication systems
6. Low voltage
7. Load calculations
8. Riser Diagram
9. Design flood elevation

Plumbing

1. Minimum plumbing facilities
2. Fixture requirements
3. Water supply piping
4. Sanitary drainage
5. Water heaters
6. Vents
7. Roof drainage
8. Back flow prevention
9. Irrigation
10. Location of water supply line
11. Grease traps
12. Environmental requirements
13. Plumbing riser
14. Design flood elevation
15. Water/plumbing portions of the Energy Code (including calculation and mandatory requirements)

Mechanical

1. Mechanical portions of the Energy calculations
2. Exhaust systems:
 - Clothes dryer exhaust
 - Kitchen equipment exhaust
 - Specialty exhaust systems
3. Equipment
4. Equipment location
5. Make-up air
6. Roof-mounted equipment

7. Duct systems
8. Ventilation
9. Combustion air
10. Chimneys, fireplaces and vents
11. Appliances
12. Boilers
13. Refrigeration
14. Bathroom ventilation
15. Laboratory
16. Design flood elevation

Gas

1. Gas piping
2. Venting
3. Combustion air
4. Chimneys and vents
5. Appliances
6. Type of gas
7. Fireplaces
8. LP tank location
9. Riser diagram/shutoffs
10. Design flood elevation
11. Gas portions of the Energy Code (including calculation and mandatory requirements)

Demolition

1. Asbestos removal

Residential (one- and two-family):

1. Site requirements:
Set back/separation (assumed property lines)
Location of septic tanks
2. Fire-resistant construction (if required)
3. Fire
4. Smoke detector locations
5. Egress
Egress window size and location stairs construction requirements
6. Structural requirements shall include:
Wall section from foundation through roof, including assembly and materials connector tables wind requirements structural calculations (if required)
Termite protection
Design loads
Wind requirements
Building envelope
Foundation

- Wall systems
- Floor systems
- Roof systems
- Flood hazard areas, flood zones, design flood elevations, lowest floor elevations, enclosures, equipment, and flood damage-resistant materials
- 7. Accessibility requirements: show/identify accessible bath
- 8. Impact resistant coverings or systems
- 9. Residential Energy Code submittal (including calculation and mandatory requirements)

Manufactured buildings/housing -

1. Site requirements
 - Setback/separation (assumed property lines)
 - Location of septic tanks (if applicable)
 - Structural
 - Wind zone
 - Anchoring
 - Blocking
 - Plumbing
 - List potable water source and meter size (if applicable)
 - Mechanical
 - Exhaust systems
 - Clothes dryer exhaust
 - Kitchen equipment exhaust
 - Electrical exterior disconnect location

Exemptions.

Plans examination by the building official shall not be required for the following work:

1. Replacing existing equipment such as mechanical units, water heaters, etc.
2. Reroofs
3. Minor electrical, plumbing and mechanical repairs
4. Annual maintenance permits
5. Prototype plans

Except for local site adaptations, siding, foundations and/or modifications.

Except for structures that require waiver.

6. Manufactured buildings plan except for foundations and modifications of buildings on site and as listed above in manufactured buildings/housing.

107.3.6 Additional document requirements.

1. Drawings to scale, minimum scale is 1/8".
2. A site plan which, shows the location of the proposed building or structure and every existing building or structure on the site or lot.
3. The first sheet of the Architectural Plans shall provide an information block with the following details:

- a) Occupancy classification(s). If the building contains more than one (1) occupancy classification and/or tenant use areas, list each separately with the individual square footages.
 - b) Establish the required live load for the intended use of each floor and/or mezzanine area.
 - c) Building area (sq. ft.) for each floor and mezzanine area.
 - d) Grade elevation of first floor + NAVD
 - e) Applicable Flood zone.
 - f) Elevation of first habitable floor + NAVD
 - g) Height of building in feet above grade.
 - h) Building height in stories.
 - i) Type of construction.
 - j) Designed for applicable wind load.
 - k) Parking summary for occupancy classification(s) consistent with the calculation and supporting documentation from the approved final site development plan.
4. The permit documents (blueprint drawings) should be no larger than 24" when rolled up and blueprint plans with more than 3 sheets will be rolled, not folded.
5. Specification manuals may be submitted in electronic format provide one copy is in print. The print copy will be used as the job site copy.
6. Pre-manufactured building components.
- a) Building components designed by specialty engineers (i.e. roof trusses, floor trusses, precast floor slabs, etc.) are required to be submitted at time of permit application. Extra loading of the trusses, beams or girders with hot water heaters, air handlers, compressors or other loads not specifically considered in the specialty design will not be allowed without engineered sealed drawings acknowledging such extra loads.
 - b) The specialty engineer shall acknowledge that additional loading has been considered in the design and the type of roof covering shall be designated on the truss plans.
 - c) There will be no jobsite modifications of product allowed without an approved design by the specialty engineer.
 - d) During the design, process of roof trusses, floor trusses, or precast floor slabs, consideration must be given to the possibility that point loading (i.e. girders and columns) may dictate redesign of bearing footing. This shall be coordinated by the design professional.
 - e) The design professional shall make a statement on his plan that he has considered and coordinated the truss layout plans, anchor details, uplift loads and reaction loads into his architectural plans by naming the truss manufacturer, their job number, and the date of the truss manufacturers plans on his architectural plans.
 - f) Provide the truss layout plans and details by the truss manufacturer to include the profiles for all special trusses that have reaction loads over 5000# and uplift loads over 1000#. These special reaction and uplift connections shall be keyed into a schedule that coordinates with the

truss layout plan by a highlighted indication on the truss layout plan for quick reference. The truss manufacturer or the design professional shall provide the recommended anchor for each special connection in the required schedule. The engineered cut sheets for all trusses shall be available at the job site prior to the required inspection.

- g) Provide an anchor bolt plan, fastener schedule and shop drawings as furnished by the steel building manufacturer. Special Inspectors will be required to inspect the fasteners, bolts, tension cables, and torquing required to properly construct a metal building.
- h) Product approval is required, all exterior doors, windows, skylights, vents, etc. shall be verified with a certification sticker, by an approved testing laboratory and applied to the product by the manufacturer.
- i) Engineered drawings shall be submitted with a signature and raised seal for all miscellaneous structures such as awnings, shutters, screen enclosures, swimming pools, spas, and seawalls. NOTE: Job specific engineering is required for aluminum structures. Screen Enclosures and carport drawings shall include the requirements set forth in the Aluminum Structures minimum requirements checklist, attached to the Screen Enclosure Application.
- j) All signs and electric light standards shall meet structural and other standards regarding sign and light pole construction, erection, electrical wiring, etc. set forth in the building code. Plans for any pole or ground sign exceeding 32 square feet in area and/or eight (8) feet in height or light pole exceeding 8 ft. in height shall be accompanied by foundation drawings signed and sealed by a licensed architect or engineer or the manufacturers recommendations as published by their representative engineer.
- k) The Florida State certified architect or engineer of record shall sign and seal all submitted documents that were prepared under his/her license for the structural and functional components of the structure. The architect or engineer of record shall also indicate their company name, his/her legal name and State of Florida license number, address and phone number in the title block.
- l) For products not covered under the statewide product evaluation and approval system, the Building Official may require tests or test reports as proof of compliance. Required tests are to be made at the expense of the owner, or his agent, by an approved testing laboratory or other approved agency.

7. Lot drainage.

A lot drainage plan shall be submitted by the permittee at time of application for a building permit. Lot drainage shall comply with the approved lot drainage at time of Certificate of Occupancy inspection. Ground elevation shall be gradually sloped away from the building to effectively drain water away and to be managed onsite through roof guttering or earth grading. No significant stormwater run-off is permitted to flow from the subject premises onto abutting properties.

8. Structures located in a SFHZ-AE

Structures located in a SFHZ-AE where BFE is greater than one (1) foot above natural grade of the site or the lowest adjacent grade of an exterior wall, will require spread footings or grade beam with a maximum elevation of 6 Feet NAVD.

9. Lowest finished floor.

Plans shall show that construction of the lowest floor and lowest living floor (in NAVD) meets the elevation criteria listed below or engineered property to a site-specific design and is certified by an architect or engineer, when conflicts exist between the FIRM elevation and others, the higher elevation shall be required:

- a) FIRM elevation – the elevation that has been established by the Flood Insurance Rate Maps (FIRM). These are the approved maps adopted by the Federal Emergency Management Agency (FEMA) and the National Flood Insurance Program (NFIP), for both Marco Island and Collier County, Florida.
- b) Paved Road – a minimum of 18 inches above the crown of the nearest street or interior roadway system if finished with paving; or
- c) Graded or Unfinished Road – 24 inches above the crown if graded or otherwise unfinished; or
- d) 9 Feet NAVD; or
- e) One (1) foot above base flood elevation (BFE); or
- f) Water Management Design
 1. Buildings within projects which have water management routing and storage facilities designed and built for a 25-year, three (3) day storm event in accordance with South Florida Water Management District’s criteria may use a finish floor elevation in accordance with the project’s water management designed 100-year zero discharge elevation or the FIRM elevation, whichever is higher.
 2. Buildings which are not within projects having a water management storage facility designed and built for a 25-year, three (3) day storm event in accordance with South Florida Water Management District’s criteria shall use a finish floor elevation of 18 inches above the adjacent roadway crown elevation or the FIRM elevation, whichever is higher.

10. Grading.

On parcels where unusual topographic conditions exist, and the above standards conditions cannot be reasonably applied, the Building Official will consider requests to decrease the finished-floor elevation. All requests will require an analysis by a Florida registered professional engineer of the 25-year, three (3) day storm event and the 100-year, three (3) day storm event, using zero discharge for the entire drainage basin in which the proposed structure is located. Reductions may be allowed on the basis of the analysis, but in no case, shall the finished floor be less than the FIRM.]
NOTE: Slabs for garages, carports, screen enclosures, etc., must be at least equal in elevation to the crown of the nearest street, or at least six (6) inches above grade.

11. Boundary survey.

Building permits that require a foundation inspection or floor elevation inspection shall be submit a current survey with the permit application.

12. Fire damage.

For fire damage issues, a Design professional shall review, and a written report shall be submitted concerning the components to be salvaged or repaired and all structural systems shall be certified by an architect or engineer. These documents will be required before issuing a permit for reconstruction of as fire-damaged structure.

107.4 Amended construction documents. Work shall be installed in accordance with the approved construction documents, and any changes made during construction that are not in compliance with the approved construction documents shall be resubmitted for approval as an amended set of construction documents.

107.5 Retention of construction documents. One set of approved construction documents shall be retained by the building official for a period of not less than 180 days from date of completion of the permitted work, or as required by state or local laws.

107.6 Affidavits. The building official may accept a sworn affidavit from a registered architect or engineer stating that the plans submitted conform to the technical codes. For buildings and structures, the affidavit shall state that the plans conform to the laws as to egress, type of construction and general arrangement and, if accompanied by drawings, show the structural design and that the plans and design conform to the requirements of the technical codes as to strength, stresses, strains, loads and stability. The building official may without any examination or inspection accept such affidavit, provided the architect or engineer who made such affidavit agrees to submit to the building official copies of inspection reports as inspections are performed and upon completion of the structure, electrical, gas, mechanical or plumbing systems a certification that the structure, electrical, gas, mechanical or plumbing system has been erected in accordance with the requirements of the technical codes. Where the building official relies upon such affidavit, the architect or engineer shall assume full responsibility for compliance with all provisions of the technical codes and other pertinent laws or ordinances. The building official shall ensure that any person conducting plans review is qualified as a plans examiner under Part XII of Chapter 468, Florida Statutes, and that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, Florida Statutes.

107.6.1 Building permits issued on the basis of an affidavit. Pursuant to the requirements of federal regulation for participation in the National Flood Insurance Program (44 C.F.R. Parts 59 and 60), the authority granted to the building official to issue permits, to rely on inspections, and to accept plans and construction documents on the basis of affidavits and plans submitted pursuant to Sections 105.14 and 107.6, shall not extend to the flood load and flood resistance construction requirements of the Florida Building Code.

SECTION 108
TEMPORARY STRUCTURES AND USES

108.1 General. The building official is authorized to issue a permit for temporary structures and temporary uses. Such permits shall be limited as to time of service, but shall not be permitted for more than 180 days. The building official is authorized to grant extensions for demonstrated cause.

108.2 Conformance. Temporary structures and uses shall comply with the requirements in Section 3103.

108.3 Temporary power. The building official is authorized to give permission to temporarily supply and use power in part of an electric installation before such installation has been fully completed and the final certificate of completion has been issued. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat or power in NFPA 70.

108.4 Termination of approval. The building official is authorized to terminate such permit for a temporary structure or use and to order the temporary structure or use to be discontinued.

SECTION 109 **FEES**

109.1 Payment of fees. A permit shall not be valid until the fees prescribed by law have been paid, nor shall an amendment to a permit be released until the additional fee, if any, has been paid.

109.2 Schedule of permit fees. On buildings, structures, electrical, gas, mechanical, and plumbing systems or alterations requiring a permit, a fee for each permit shall be paid as required, in accordance with the schedule as established by the City Council.

109.2.1 Types of Fees Enumerated. Fees may be charged for but not limited to the following:

- Permits;
- Plans examination;
- Certificates of competency (including fees for applications, examinations, renewal, late renewal, and reciprocity);
- Re-inspections;
- Administrative fees (including fees for investigative and legal costs incurred in the context of certain disciplinary cases heard by the board);
- Variance requests;
- Administrative appeals;
- Violations; and
- Other fees as established by local resolution or ordinance.

109.3 Building permit valuations. The applicant for a permit shall provide an estimated permit value at time of application. Permit valuations shall include total value of work, including materials and labor, for which the permit is being issued, such as electrical, gas,

mechanical, plumbing equipment and permanent systems. If, in the opinion of the building official, the valuation is underestimated on the application, the permit shall be denied, unless the applicant can show detailed estimates to meet the approval of the building official. Final building permit valuation shall be set by the building official.

109.4 Work commencing before permit issuance. Any person who commences any work on a building, structure, electrical, gas, mechanical or plumbing system before obtaining the necessary permits or without prior approval from the building official as permitted in Section 105.2.2 or 105.12 shall be subject to a fee established by the building official that shall be in addition to the required permit fees or as provided by local ordinance. This provision shall not apply to emergency work when delay would clearly have placed life or property in imminent danger. But in all such cases the required permit(s) must be applied for within three (3) business days and any unreasonable delay in obtaining those permit(s) shall result in the charge of a double fee. The payment of a double fee shall not preclude or be deemed a substitute for prosecution for commencing work without first obtaining a permit. The building official may grant extensions of time or waive fees when justifiable cause has been demonstrated in writing.

109.5 Related fees. The payment of the fee for the construction, alteration, removal or demolition for work done in connection to or concurrently with the work authorized by a building permit shall not relieve the applicant or holder of the permit from the payment of other fees that are prescribed by law.

109.6 Refunds. Reserved

SECTION 110 **INSPECTIONS**

110.1 General. Construction or work for which a permit is required shall be subject to inspection by the building official and such construction or work shall remain accessible and exposed for inspection purposes until approved. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other City ordinances. Inspections presuming to give authority to violate or cancel the provisions of this code or of other City ordinances shall not be valid. It shall be the duty of the owner or the owner's authorized agent to cause the work to remain accessible and exposed for inspection purposes. The building official shall be permitted to require a boundary line survey prepared by a qualified surveyor whenever the boundary lines cannot be readily determined in the field. Neither the building official nor the City shall be liable for expense entailed in the removal or replacement of any material required to allow inspection.

110.1.1 Manufacturers and fabricators. When deemed necessary by the building official, he/she shall make, or cause to be made, an inspection of materials or assemblies at the point of manufacture or fabrication. A record shall be made of every such examination and inspection and of all violations of the technical codes.

110.1.2 Inspection service. The building official may make, or cause to be made, the inspections required by Section 110. He or she may accept reports of department

inspectors, independent inspectors or of recognized inspection services, provided that after investigation he/she is satisfied as to their licensure, qualifications and reliability. A certificate required by any provision of this code shall not be based on such reports unless the same are recorded by the building code inspector or the architect or engineer performing building code inspections in a manner specified by the building official. The building official shall ensure that all persons making such inspections shall be certified in accordance to Chapter 468 Florida Statutes.

110.2 Preliminary inspection. Before issuing a permit, the building official is authorized to examine or cause to be examined buildings, structures and sites for which an application has been filed.

110.3 Required inspections. The building official upon notification from the permit holder or his or her agent shall make the following inspections, or any other such inspection as deemed necessary and shall either release that portion of the construction or shall notify the permit holder or his or her agent of any violations which must be corrected in order to comply with the technical codes. The building official shall determine the timing and sequencing of when inspections occur and what elements are inspected at each inspection.

Building

1. Foundation inspection. Is to be made after trenches are excavated, any required reinforcing steel is in place, forms erected and shall at a minimum include the following building components:

Stem-wall

Monolithic slab-on-grade

Piling/pile caps

Footers/grade beams

1.1. Slab Inspection: Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the subfloor.

A foundation/Form board survey prepared and certified by a registered surveyor may be required, prior to approval of the slab inspection. The survey shall certify placement of the building on the site, illustrate all surrounding setback dimensions and shall be available at the job site for review by the building inspector. In lieu of providing a survey, the contractor may elect to uncover all property line markers and string-up all property lines in preparation for inspection.

1.2. In flood hazard areas, upon placement of the lowest floor, including basement, and prior to further vertical construction, the elevation certification shall be submitted to the authority having jurisdiction. In coastal high hazard areas and coastal A zones, the elevation certification shall be submitted upon the placement of the lowest horizontal structural member, and prior to further vertical construction.

2. Framing inspection. Is to be made after the roof, all framing, fire blocking and bracing is in place, all concealing wiring, all pipes, chimneys, ducts and vents are

complete and the rough electrical, plumbing, heating wires, pipes and ducts are approved and shall at a minimum include the following building components:

Window/door framing

Window U-factor/SHGC as indicated on approved calculations

Vertical cells/columns

Lintel/tie beams

Framing/trusses/bracing/connectors (including truss layout and engineered drawings)

Draft stopping/fire blocking

Curtain wall framing

Energy insulation (Insulation R- factor as indicated on approved calculations)

Accessibility

Verify rough opening dimensions are within tolerances.

Window/door buck attachment

2.1. Insulation Inspection: Is to be made after the framing inspection is approved and the insulation is in place, according to approved energy calculation submittal Includes wall and ceiling insulation.

2.2. Lath and gypsum board inspection for fire-resistance-rated or shear assemblies. Lath and gypsum board inspections shall be made after lathing and gypsum board, interior and exterior, is in place, but before any plastering is applied or gypsum board joints and fasteners are taped and finished.

3. Sheathing inspection. Is to be made either as part of a dry-in inspection or done separately at the request of the contractor after all roof and wall sheathing and fasteners are complete and shall at a minimum include the following building components:

Roof sheathing

Wall sheathing

Continuous air barrier

Exterior Siding/Cladding

Sheathing fasteners

Roof/wall dry-in.

NOTE: Sheathing fasteners installed and found to be missing the structural member (shiners) shall be removed and properly reinstalled prior to installation of the dry-in material.

4. Roofing inspection. Shall, at a minimum, be made in at least two inspections and include the following building components:

Dry-in

Insulation

Roof coverings (including In Progress as necessary)

Insulation on roof deck (according to submitted energy calculation)

Flashing

- 4.1. Re-Roof sheathing inspection. An affidavit with a notarized signature of a state or locally licensed roofing contractor for the installation of additional sheathing fasteners as required by the Existing Building Code may be accepted at the discretion of the building official.
5. Final inspection. To be made after the building is completed and ready for occupancy.
- 5.1. In flood hazard areas, as part of the final inspection, a final certification of the lowest floor elevation shall be submitted to the authority having jurisdiction.
6. Swimming pool inspection. First inspection to be made after excavation and installation of reinforcing steel, bonding and main drain and prior to placing of concrete shell.
1. Steel reinforcement inspection
 2. Underground electric inspection.
 3. Underground piping inspection including a pressure test.
 4. Underground electric inspection under deck area (including the equipotential bonding)
 5. Underground piping inspection under deck area..
 6. Deck inspection: to be made prior to installation of the deck material (with forms, deck drains, and any reinforcement in place
 7. Safety Inspection; Made prior to filling the pool with the bonding connections made, the proper drain covers installed and the final barriers installed.
 8. Final pool piping.
 9. Final Electrical inspection.
 10. Final inspection to be made when the swimming pool is complete and all required enclosure requirements are in place.
- In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the requirements relating to pool safety features as described in Section 454.2.17. of The Florida Building Code.
7. Demolition inspections. First inspection to be made after all utility connections have been disconnected and secured in such manner that no unsafe or unsanitary conditions shall exist during or after demolition operations.
- Final inspection to be made after all demolition work is completed.
8. Manufactured building inspections. The building department shall inspect construction of foundations; connecting buildings to foundations; installation of parts identified on plans as site installed items, joining the modules, including utility crossovers; utility connections from the building to utility lines on site; and any other work done on site which requires compliance with the Florida Building Code. Additional inspections may be required for public educational facilities (see Section 453.27.20 of this the Florida Building Code).
9. Where impact resistant coverings or impact resistant systems are installed, the building official shall schedule adequate inspections of impact resistant coverings or impact resistant systems to determine the following:
- The system indicated on the plans was installed.

The system is installed in accordance with the manufacturer's installation instructions and the product approval.

Electrical

1. Underground inspection. Is to be made after trenches or ditches are excavated, conduit or cable installed, and before any backfill is put in place.
2. Rough-in inspection. Is to be made after the roof, framing, fire blocking and bracing is in place and prior to the installation of wall or ceiling membranes.
3. Final inspection. Is to be made after the building is complete, all required electrical fixtures are in place and properly connected or protected, and the structure is ready for occupancy.
4. Existing Swimming Pools. Is to be made after all repairs or alterations are complete, all required electrical equipment, GFCI protection, and equipotential bonding are in place on said alterations or repairs.

Plumbing

1. Underground inspection. Is to be made after trenches or ditches are excavated, piping installed, and before any backfill is put in place.
2. Rough-in inspection. Is to be made after the roof, framing, fire blocking and bracing is in place and all soil, waste and vent piping is complete, and prior to this installation of wall or ceiling membranes and includes plumbing provisions of the energy code and approved calculations provisions.
3. Final inspection. Is to be made after the building is complete, all plumbing fixtures are in place and properly connected, and the structure is ready for occupancy.

Mechanical

1. Underground inspection. Is to be made after trenches or ditches are excavated, underground duct and fuel piping installed, and before any backfill is put in place.
2. Rough-in inspection. Is to be made after the roof, framing, fire blocking and bracing are in place and all ducting, and other concealed components are complete, and prior to the installation of wall or ceiling membranes and includes mechanical provisions of the energy code and approved calculations provisions.
3. Final inspection. Is to be made after the building is complete, the mechanical system is in place and properly connected, and the structure is ready for occupancy.

Gas

1. Rough piping inspection. Is to be made after all new piping authorized by the permit has been installed, and before any such piping has been covered or concealed or any fixtures or gas appliances have been connected and includes gas provisions of the energy code and approved calculations provisions.
2. Final piping inspection. Is to be made after all piping authorized by the permit has been installed and after all portions which are to be concealed by plastering or otherwise have been so concealed, and before any fixtures or gas appliances have been connected. This inspection shall include a pressure test.
3. Final inspection. Is to be made on all new gas work authorized by the permit and such portions of existing systems as may be affected by new work or any changes, to ensure compliance with all the requirements of this code and to assure

that the installation and construction of the gas system is in accordance with reviewed plans.

Site Debris

1. The contractor and/or owner of any active or inactive construction project shall be responsible for the clean-up and removal of all construction debris or any other miscellaneous discarded articles during the construction project and prior to receiving final inspection approval. Construction job sites must be kept clean and in a safe condition at all times.
2. All debris shall be kept in such a manner as to prevent it from being spread by any means.

110.3.1 Footing and foundation inspection. Footing and foundation inspections shall be made after excavations for footings are complete and any required reinforcing steel is in place. For concrete foundations, any required forms shall be in place prior to inspection. Materials for the foundation shall be on the job, except where concrete is ready mixed in accordance with ASTM C 94, the concrete need not be on the job.

110.3.2 Concrete slab and under-floor inspection. Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories and other ancillary equipment items are in place, but before any concrete is placed or floor sheathing installed, including the subfloor.

110.3.3 Lowest floor elevation. In flood hazard areas, upon placement of the lowest floor, including the basement, and prior to further vertical construction, the elevation certification shall be submitted to the building official.

110.3.4 Frame inspection. Framing inspections shall be made after the roof deck or sheathing, all framing, fire blocking and bracing are in place and pipes, chimneys and vents to be concealed are complete and the rough electrical, plumbing, heating wires, pipes and ducts are approved.

110.3.5 Lath, gypsum board and gypsum panel product inspection. Lath, gypsum board and gypsum panel product inspections shall be made after lathing, gypsum board and gypsum panel products, interior and exterior, are in place, but before any plastering is applied or gypsum board and gypsum panel product joints and fasteners are taped and finished.

Exception: Gypsum board and gypsum panel products that are not part of a fire-resistance-rated assembly or a shear assembly.

110.3.6 Fire- and smoke-resistant penetrations. Protection of joints and penetrations in fire-resistance rated assemblies, smoke barriers and smoke partition shall not be concealed from view until inspected and approved.

110.3.7 Energy efficiency inspections. Inspections shall be made to determine compliance with FBC, Energy Conservation and-confirm with the approved energy code submittal (by appropriate trade) and corresponding mandatory requirements and shall include, but not be limited to, inspections for: corresponding envelope insulation R- and U-values, fenestration U-value and Solar Heat Gain Coefficient, duct system R-value, and HVAC, lighting, electrical and water-heating equipment efficiency.

110.3.8 Other inspections. In addition to the inspections specified in Sections 110.3 through 110.3.7, the building official is authorized to make or require other inspections of any construction work to ascertain compliance with the provisions of this code and other laws that are enforced by the department of building safety.

110.3.9 Special inspections. Reserved.

110.3.10 Final inspection. The final inspection shall be made after all work required by the building permit is completed.

110.3.10.1 Flood hazard documentation. If located in a flood hazard area, shall be submitted to the building official prior to the final inspection.

110.3.10.2 Energy Code documentation. If required by energy code path submittal, confirmation that commissioning result requirements have been received by building owner.

110.3.11 Termites. Building components and building surroundings required to be protected from termite damage in accordance with Section 1503.7, Section 2304.13 or Section 2304.11.6, specifically required to be inspected for termites in accordance with Section 2114, or required to have chemical soil treatment in accordance with Section 1816 shall not be covered or concealed until the release from the building official has been received.

110.3.12 Impact resistant coverings or systems. Where impact resistant coverings or systems are installed to meet requirements of this code, the building official shall schedule adequate inspections of impact resistant coverings or systems to determine the following:

1. The system indicated on the plans was installed.
2. The system is installed in accordance with the manufacturer's installation instructions and the product approval.

110.4 Inspection agencies. The building official is authorized to accept reports of approved inspection agencies, provided such agencies satisfy the requirements as to qualifications and reliability.

110.5 Inspection requests. It shall be the duty of the holder of the building permit or their duly authorized agent to notify the building official when work is ready for inspection. It shall be the duty of the permit holder to provide access to and means for inspections of such work that are required by this code.

110.6 Approval required. Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the building official. The building

official, upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed, or notify the permit holder or his or her agent wherein the same fails to comply with this code. Any portions that do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the building official.

110.7 Shoring. For threshold buildings, shoring and associated formwork or falsework shall be designed and inspected by a Florida licensed professional engineer, prior to any required mandatory inspections by the threshold building inspector.

110.8 Threshold building.

110.8.1 The department shall require a special inspector to perform structural inspections on a threshold building pursuant to a structural inspection plan prepared by the engineer or architect of record. The structural inspection plan must be submitted to the department prior to the issuance of a building permit for the construction of a threshold building. The purpose of the structural inspection plans is to provide specific inspection procedures and schedules so that the building can be adequately inspected for compliance with the permitted documents. The special inspector may not serve as a surrogate in carrying out the responsibilities of the building official, the architect, or the engineer of record. The contractor's contractual or statutory obligations are not relieved by any action of the special inspector.

110.8.2 The special inspector shall determine that a professional engineer who specializes in shoring design has inspected the shoring and reshoring for conformance with the shoring and reshoring plans submitted to the enforcing agency. A fee simple title owner of a building, which does not meet the minimum size, height, occupancy, occupancy classification, or number-of-stories criteria which would result in classification as a threshold building under Section 553.71(7), Florida Statutes, may designate such building as a threshold building, subject to more than the minimum number of inspections required by the Florida Building Code.

110.8.3 The fee owner of a threshold building shall select and pay all costs of employing a special inspector, but the special inspector shall be responsible to the enforcement agency. The inspector shall be a person certified, licensed or registered under Chapter 471, Florida Statutes, as an engineer or under Chapter 481, Florida Statutes, as an architect.

110.8.4 The department shall require that, on every threshold building:

110.8.4.1 The special inspector, upon completion of the building and prior to the issuance of a certificate of occupancy, file a signed and sealed statement with the enforcement agency in substantially the following form: "To the best of my knowledge and belief, the above described construction of all structural load-bearing components complies with the permitted documents, and the shoring and reshoring conforms to the shoring and reshoring plans submitted to the enforcement agency."

110.8.4.2 Any proposal to install an alternate structural product or system to which building codes apply be submitted to the department for review for compliance with the Florida Building Codes and made part of the department's recorded set of permit documents.

110.8.4.3 All shoring and reshoring procedures, plans and details be submitted to the enforcement agency for recordkeeping. Each shoring and reshoring installation

shall be supervised, inspected and certified to be in compliance with the shoring documents by the contractor.

110.8.4.4 All plans for the building which are required to be signed and sealed by the architect or engineer of record contain a statement that, to the best of the architect's or engineer's knowledge, the plans and specifications comply with the applicable minimum building codes and the applicable fire-safety standards as determined by the appropriate City authority in accordance with this Section and Chapter 633, Florida Statutes.

110.8.5 The department may not issue a building permit for construction of any threshold building except to a licensed general contractor, as defined in Section 489.105(3)(a), Florida Statutes, or to a licensed building contractor, as defined in Section 489.105(3)(b), Florida Statutes, within the scope of her or his license. The named contractor to whom the building permit is issued shall have the responsibility for supervision, direction, management and control of the construction activities on the project for which the building permit was issued.

110.8.6 The building department may allow a special inspector to conduct the minimum structural inspection of threshold buildings required by this code, Section 553.73, Florida Statutes, without duplicative inspection by the building department. The building official is responsible for ensuring that any person conducting inspections is qualified as a building inspector under Part XII of Chapter 468, Florida Statutes, or certified as a special inspector under Chapter 471 or 481, Florida Statutes. Inspections of threshold buildings required by Section 553.79(5), Florida Statutes, are in addition to the minimum inspections required by this code.

SECTION 111 CERTIFICATE OF OCCUPANCY

111.1 Use and occupancy. A building or structure shall not be used or occupied, and a change in the existing use or occupancy classification of a building or structure or portion thereof shall not be made, until the building official has issued a certificate of occupancy therefor as provided herein. Issuance of a certificate of occupancy shall not be construed as an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction.

Exception: Certificates of occupancy are not required for work exempt from permits under Section 105.2.

111.2 Certificate issued. After the building official inspects the building or structure and finds no violations of the provisions of this code or other laws that are enforced by the department of building safety, the building official shall issue a certificate of occupancy that contains the following:

1. The building permit number.
2. The address of the structure.
3. The name and address of the owner or the owner's authorized agent.

4. A description of that portion of the structure for which the certificate is issued.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.
6. For buildings and structures in flood hazard areas, a statement that documentation of the as-built lowest floor elevation has been provided and is retained in the records of the authority having jurisdiction.
7. The name of the building official.
8. The edition of the code under which the permit was issued.
9. The use and occupancy, in accordance with the provisions of Chapter 3 of the Florida Building Code.
10. The type of construction as defined in Chapter 6 of the Florida Building Code.
11. The design occupant load.
12. If an automatic sprinkler system is provided, whether the sprinkler system is required.
13. Any special stipulations and conditions of the building permit.

111.3 Temporary occupancy. The building official is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the permit, provided that such portion or portions shall be occupied safely. The building official shall set a time period during which the temporary certificate of occupancy is valid.

111.4 Revocation. The building official is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error, or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ordinance or regulation or any of the provisions of this code.

111.5 Certificate of Completion. A Certificate of Completion is proof that a structure or system is complete and for certain types of permits is released for use and may be connected to a utility system. This certificate does not grant authority to occupy a building, such as shell building, prior to the issuance of a Certificate of Occupancy.

SECTION 112 **SERVICE UTILITIES**

112.1 Connection of service utilities. No person shall make connections from a utility, source of energy, fuel or power to any building or system that is regulated by this code for which a permit is required, until released by the building official.

112.2 Temporary connection. The building official shall have the authority to authorize the temporary connection of the building or system to the utility source of energy, fuel or power.

112.3 Authority to disconnect service utilities. The building official shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by this code and the referenced codes and standards set forth in Section 101.4 in case of emergency where necessary to eliminate an immediate hazard to life or property or when such utility connection has been made without the approval required by Section 112.1 or 112.2. The building official shall notify the serving utility, and wherever possible the owner and occupant of the building, structure or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service system shall be notified in writing, as soon as practical thereafter.

SECTION 113 **BOARD OF APPEALS**

SECTION 13 Construction Board of Appeals. Provisions concerning the Construction Board of Rules and Appeals are set forth in Chapter 6, Article II of the Code of Ordinances. In the event there is no Construction Board of Rules and Appeals in accordance with such provision, the City Council shall act as the duly authorized board.

SECTION 114 **VIOLATIONS**

114.1 Unlawful acts. It shall be unlawful for any person, firm or corporation to erect, construct, alter, extend, repair, move, remove, demolish or occupy any building, structure or equipment regulated by this code, or cause same to be done, in conflict with or in violation of any of the provisions of this code.

114.2 Notice of violation. The building official is authorized to serve a notice of violation or order on the person responsible for the erection, construction, alteration, extension, repair, moving, removal, demolition or occupancy of a building or structure in violation of the provisions of this code, or in violation of a permit or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

114.3 Prosecution of violation. If the notice of violation is not complied with promptly, the building official is authorized to request the City Council to direct the City Attorney to institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the building or structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

114.4 Violation penalties. Any person who violates a provision of this code or fails to comply with any of the requirements thereof or who erects, constructs, alters or repairs a building or structure in violation of the approved construction documents or directive of the building

official, or of a permit or certificate issued under the provisions of this code, shall be subject to penalties as prescribed by law.

SECTION 115 **STOP WORK ORDER**

115.1 Authority. Whenever the building official finds any work regulated by this code being performed in a manner either contrary to the provisions of this code or dangerous or unsafe, the building official is authorized to issue a stop work order.

115.2 Issuance. The stop work order shall be in writing and shall be given to the owner of the property involved, the owner's authorized agent or the person performing the work. Upon issuance of a stop work order, the cited work shall immediately cease. The stop work order shall state the reason for the order and the conditions under which the cited work will be permitted to resume.

115.3 Unlawful continuance. Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to penalties as prescribed by law.

SECTION 116 **UNSAFE STRUCTURES AND EQUIPMENT**

116.1 Conditions. Structures or existing equipment that are or hereafter become unsafe, insanitary or deficient because of inadequate means of egress facilities, inadequate light and ventilation, or which constitute a fire hazard, or are otherwise dangerous to human life or the public welfare, or that involve illegal or improper occupancy or inadequate maintenance, shall be deemed an unsafe condition. Unsafe structures shall be taken down and removed or made safe, as the building official deems necessary and as provided for in this section. A vacant structure that is not secured against entry shall be deemed unsafe.

116.2 Record. The building official shall cause a report to be filed on an unsafe condition. The report shall state the occupancy of the structure and the nature of the unsafe condition.

116.3 Notice. If an unsafe condition is found, the building official shall serve on the owner, agent or person in control of the structure, a written notice that describes the condition deemed unsafe and specifies the required repairs or improvements to be made to abate the unsafe condition. Such notice shall require the person thus notified to declare immediately to the building official acceptance or rejection of the terms of the order.

116.4 Method of service. Such notice shall be deemed properly served if a copy thereof is (a) delivered to the owner personally; (b) sent by certified or registered mail addressed to the owner at the last known address with the return receipt requested; or (c) delivered in any other manner as prescribed by local law. If the certified or registered letter is returned showing that the letter was not delivered, a copy thereof shall be posted in a conspicuous place in or about the structure affected by such notice. Service of such notice in the foregoing manner upon the owner's agent or upon the person responsible for the structure shall constitute service of notice upon the owner.

116.5 Restoration. Where the structure or equipment determined to be unsafe by the building official is restored to a safe condition, to the extent that repairs, alterations or additions are made or a change of occupancy occurs during the restoration of the structure, such repairs, alterations, additions and change of occupancy shall comply with the requirements of Section 105.2.2 and the Florida Building Code, Existing Building.

SECTION 117 **VARIANCES IN FLOOD HAZARD AREAS**

117.1 Flood hazard areas. Pursuant to Section 553.73(5), Florida Statutes, the variance procedures adopted in the local floodplain management ordinance shall apply to requests submitted to the building official for variances to the provisions of Section 1612.4 of the Florida Building Code, Building or, as applicable, the provisions of R322 of the Florida Building Code, Residential. This section shall not apply to Section 3109 of the Florida Building Code, Building.

SECTION 118 **ADDITIONAL REQUIREMENTS**

118.1 Additional Electrical Requirements

118.1.1 Ground rods:

Solid copper weld type ground rods shall be used for permanent installations.

118.1.2 System grounding:

Electrical systems shall be grounded to the footer reinforcing steel.

Exception: If the construction type does not use footer reinforcing steel, then solid copper type ground rods shall be used.

118.1.3 Access to main electrical service:

All occupants of multi-occupancy buildings shall have access to their main electrical service disconnect.

Exception: Not required if building management staff is on the premises at all times. Ref: NEC sec. 240.24B and 230.72C.

118.1.4 Low voltage lighting:

All exterior and interior low voltage lighting shall be permitted and installed by a properly licensed contractor.

118.1.5 Reach distance to switches:

Switches shall be located so that they cannot be reached from any bath tub or shower.

118.1.6 Cable sheathing:

Non-metallic cable sheathing shall not be used for electrical power systems in buildings over three (3) stories in height above parking.

NOTE: Including but not limited to parking garages and commercial buildings.

118.1.7 Aluminum wiring:

All lighting and receptacle circuits located in rooms that are being repaired or altered shall be replaced with code-approved copper wire.

118.1.8 Hard wired:

When building permits are required, then water heaters and air handlers shall be hard wired to an approved electrical disconnect device.

118.1.9 Protection during construction:

118.1.9.1 Interior electrical work shall not start prior to the structure being dried-in. Both components and fasteners shall be protected against the elements.

118.1.9.2 Any components that are rusted or corroded shall be replaced.

118.1.9.3 Holes around boxes or holes made to accommodate pipes or wires shall be sealed with an approved filler.

118.2 Additional site requirements.

All areas that are disturbed by construction activity shall be re-graded and satisfactorily ground covered prior to the final inspection. No final inspections or work complete inspections will pass inspection until the site is completely cleaned up and all work has been completed.

118.2.1 All new houses shall be built and graded to convey storm water to areas within their own property that will not negatively impact neighboring properties.

118.2.2 There shall be a 3 foot setback from the back side of the seawall for concrete decks. Concrete decks shall not be constructed in this setback to accommodate the function and maintenance of the French Drain. Walkways to access docks and boat lifts shall be allowed at a rate of one four-foot-wide walkway for every 50' of seawall, or two per lot, whichever is greater. Other coverings shall be removable for maintenance and shall not impede the function of the French Drain.

118.3 Additional plumbing requirements.

Waste pipes that are located below structures that are located on lots that require pilings shall be a minimum of schedule 40 PVC, and supported by hangers at 6'-0" 4'0" intervals and at each riser as it passes through the above floor.

118.4 Additional mechanical requirements.

During the replacement of Mechanical Equipment, every effort should be made to accommodate the clearances needed to provide the required open air space around new equipment. These clearances are set forth by the manufacturer to maximize the energy efficiency and overall performance of the equipment.

1. If the equipment cannot be rearranged to provide the required clearances, the pads/platforms may have to be expanded to accommodate the new larger units, provided it is not technically infeasible to do so.
2. A letter from the manufacturer shall state the minimum allowable clearances for the equipment to be installed. If these clearances cannot be achieved, the Building Official shall determine if the pad/platform needs to be expanded to accommodate any new equipment or future installations.
3. If the pad/platform is located on common property and was originally constructed to accommodate small equipment with no room for expansion, and small units are not available, it shall be the responsibility of the owner of the common property, to arrange to have the pad/platform expanded at its expense, to reasonably accommodate new units. The cost of relocation of the line sets and disconnects shall be included in the installation of the new equipment.

118.5 Additional building requirements.

118.5.1 Minimum slab reinforcement.

All concrete slabs supported by pilings shall be a minimum 5" thick and be reinforced by #3 rebar @ 12" o.c. or 2 layers of heavy gauge (2.4 to 2.9 minimum) Woven Wire Fabric (WWF). Ancillary slabs, such as driveways, walkways, and sidewalks may use rolled wire or fiber-mesh.

118.5.2 Slabs for non-waterfront houses shall be reinforced with (2.4 to 2.9 minimum) (W.W.F.) A.K.A. roadmesh or rebar and meet ACI-318 standards.

118.5.3 All new waterfront houses and pools shall be pile supported. This includes concrete stairs and elevated air-conditioner condenser pads. Cantilevering or other acceptable Engineering solutions will be acceptable. Other sound Engineered solutions will be considered if accompanied by a geo-technical soil boring report and a detailed customized foundation signed and sealed by a Design Professional, the Design Professional will supervise the layering of replacement fill and certify the foundation has been constructed as intended and meets the requirements of his/her design.

118.5.4 Additions and concrete slabs that depend on edge support, where the load path does not return to the foundation, dowels shall be spaced not greater than 18" on center and secured by epoxy into solid masonry or tied to the existing structure by concrete filling voids in the block or other methods that will support the new slab.

118.5.5 Corner bars shall be required on top and bottom bars located on the outside of each corner and shall be a minimum of 40 bar diameters.

118.5.6 No permanent structures shall be constructed within 15 (fifteen) feet of the seawall. However, in rare cases structures could be built within the 15 feet if a new seawall is constructed with a deadman system that does not require the deadmen to be located under the structure or undermine the foundation in any way.

118.5.7 Structures located in a SFHZ-AE

Structures located in a SFHZ-AE where BFE is greater than one (1) foot above natural grade of the site or the lowest adjacent grade of an exterior wall, will require spread footings or grade beam with a maximum elevation of 6 Feet NAVD.

118.5.8 Lowest floor.

The lowest floor and lowest living floor (in NAVD) must meet the elevation criteria listed below or engineered to a site-specific design that is certified by an architect or engineer, when conflicts exist between the FIRM elevation and others, the higher elevation shall be required:

- a) FIRM elevation – the elevation that has been established by the Flood Insurance Rate Maps (FIRM). These are the approved maps adopted by the Federal Emergency Management Agency (FEMA) and the National Flood Insurance Program (NFIP), for both Marco Island and Collier County, Florida.
- b) Paved Road – a minimum of 18 inches above the crown of the nearest street or interior roadway system if finished with paving; or
- c) Graded or Unfinished Road – 24 inches above the crown if graded or otherwise unfinished; or
- d) 9 Feet NAVD; or
- e) One (1) foot above base flood elevation (BFE); or
- f) Water Management Design
 1. Buildings within projects which have water management routing and storage facilities designed and built for a 25-year, three (3) day storm event in accordance with South Florida Water Management District's criteria may use a finish floor elevation in accordance with the project's water management designed 100-year zero discharge elevation or the FIRM elevation, whichever is higher.

2. Buildings which are not within projects having a water management storage facility designed and built for a 25-year, three (3) day storm event in accordance with South Florida Water Management District's criteria shall use a finish floor elevation of 18 inches above the adjacent roadway crown elevation or the FIRM elevation, whichever is higher.
- g) On parcels where unusual topographic conditions exist and the above standards conditions cannot be reasonably applied, the Building Official will consider requests to decrease the finished-floor elevation. All requests will require an analysis by a Florida registered professional engineer of the 25-year, three (3) day storm event and the 100-year, three (3) day storm event, using zero discharge for the entire drainage basin in which the proposed structure is located. Reductions may be allowed on the basis of the analysis, but in no case shall the finished floor be less than the FIRM.]

118.5.9 Lot pre-inspection for new Single Family and Seawall permits.

Pre-inspection of the lot(s) is required, prior to the issuance of any permit, for any new Construction project, major addition project, seawall replacement, or seawall maintenance project. The inspection will verify the current condition of the adjoining properties. It will proactively identify and storm-water drainage issues. Findings will be submitted to the permit applicant as a review comment or as a condition of the permit, at the Building Official's discretion.

118.5.8 Prohibited Materials. Materials that have the potential to become wind driven missiles shall be prohibited. Example: Aggregate such as that found on tar and gravel roofs, or gravel used as ballast on roofs. This includes roofing, re-roofing and any material that is likely to be misplaced and propelled by strong winds.

118.6 Additional requirements - General.

118.6.1 Weathered materials.

118.6.1.1 Materials shall be protected against the weather and insects prior to and during construction. Materials that could be damaged shall be protected from the time they are delivered until completion of the final inspection. Materials that have been adversely affected by the elements shall be replaced.

118.6.1.2 Trusses must be elevated off the ground and be erected within twenty-five (25) days of delivery. Trusses of questionable integrity shall be replaced.

NOTE: Every effort should be made to protect the end product from the adverse effects of water. Plywood buckling, delaminating, and excessive microbiological growth (fungus) can be prevented without extraordinary effort. Coordinating truss deliveries, house wrap, window installation, and dry-in procedures will greatly reduce premature weathering.

118.6.2 Restricted hours on certain activities.

Pile driving and demolition activities are only allowed between the hours of 8:00 a.m. and 5:00 p.m. Monday through Saturday. No pile driving or demolition activities may take place on Sundays or City observed holidays.

Section 3. Codification.

It is the intention of the City Council, and it is hereby ordained, that the amendments to the City of Marco Island Code of Ordinances made by this Ordinance shall constitute a new Section 6-111 of the City of Marco Island Code of Ordinances, and that the sections of this

Ordinance may be renumbered and re-lettered as necessary, and that the word "Ordinance" may be changed to "Section", "Article" or other appropriate word.

Section 4. Conflicts.

All ordinances or parts of ordinances and all resolutions or parts of resolutions in conflict with the provisions of this Ordinance are hereby superseded and resolved to the extent of any conflict in favor of the provisions of this Ordinance.

Section 5. Severability.

If any term, section, clause, sentence or phrase of this Ordinance is for any reason held to be invalid, illegal, or unconstitutional by a court of competent jurisdiction, the holding shall not affect the validity of the other or remaining terms, sections, clauses, sentences or phrases portions of this Ordinance, and this Ordinance shall be read and applied as if the invalid, illegal, or unenforceable term, provision, clause, sentence or section did not exist.

Section 6. Effective Date.

This Ordinance shall become effective upon its adoption.

ADOPTED BY THE CITY COUNCIL OF THE CITY OF MARCO ISLAND this 8th day of January 2018.

ATTEST:




Laura M. Litzan, City Clerk

CITY OF MARCO ISLAND, FLORIDA

By: 

Jared Grifoni, Chairman

Approved as to form and legal sufficiency:



Alan L. Gabriel, City Attorney

